

BULACAN AGRICULTURAL STATE COLLEGE

San Ildefonso, Bulacan 3010

PROCUREMENT OF GOODS

2021-07G: Acquisition of Technology Commercialization Laboratory Equipment For the Provision of Higher Education Services

FY 2021

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossa	ary of Acronyms, Terms, and Abbreviations	4
Section	n I. Invitation to Bid	7
Section	n II. Instructions to Bidders	10
1.	Scope of Bid	11
2.	Funding Information	11
3.	Bidding Requirements	11
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	11
5.	Eligible Bidders	11
6.	Origin of Goods	12
7.	Subcontracts	12
8.	Pre-Bid Conference	12
9.	Clarification and Amendment of Bidding Documents	12
10.	Documents comprising the Bid: Eligibility and Technical Components	12
11.	Documents comprising the Bid: Financial Component	13
12.	Bid Prices	13
13.	Bid and Payment Currencies	14
14.	Bid Security	14
15.	Sealing and Marking of Bids	14
16.	Deadline for Submission of Bids	14
17.	Opening and Preliminary Examination of Bids	15
18.	Domestic Preference	15
19.	Detailed Evaluation and Comparison of Bids	15
20.	Post-Qualification	16
21.	Signing of the Contract	16
Section	n III. Bid Data Sheet	17
Section	n IV. General Conditions of Contract	19
1.	Scope of Contract	20
2.	Advance Payment and Terms of Payment	20
3.	Performance Security	20
4.	Inspection and Tests	20
5.	Warranty	21
6.	Liability of the Supplier	21
Section	n V. Special Conditions of Contract	22
	n VI. Schedule of Requirements	
	n VII. Technical Specifications	
	n VIII. Checklist of Technical and Financial Documents	

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW - Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods — Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Negotiated Procurement

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded:
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



BULACAN AGRICULTURAL STATE COLLEGE San Ildefonso, Bulacan 3010

INVITATION TO BID

INVITATION TO BID FOR ACQUISITION OF TECHNOLOGY COMMERCIALIZATION LABORATORY EQUIPMENT FOR THE PROVISION OF HIGHER EDUCATION SERVICES

- 1. The Bulacan Agricultural State College, through the GAA funding from the Capital Outlay FY 2021 intends to apply the sum of four million pesos (PhP4,000,000.00) being the ABC for two (2) Lots (Lot 1: Php240,000.00; and Lot 2: Php3,760,000.00) to payments under the contract for 2021-07G: ACQUISITION OF TECHNOLOGY COMMERCIALIZATION LABORATORY EQUIPMENT FOR THE PROVISION OF HIGHER EDUCATION SERVICES Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The *Bulacan Agricultural State College* now invites bids for the above Procurement Project. Delivery of the Goods is required with contract duration of 60 calendar days. Bidders should have completed, within the last five (5) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from *BULACAN AGRICULTUAL* STATE COLLEGE and inspect the Bidding Documents at the address given below during office hours from 8AM to 5PM.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on May 3 to May 25, 2021 from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Php500.00 (Lot 1) and Php3,500.00 (Lot 2) or

Php4,000.00 (Lots 1 and 2). The Procuring Entity shall allow the bidder to present its proof of payment for the fees by presenting the receipt upon submission of their bid documents.

- 6. The Bulacan Agricultural State College will hold a Pre-Bid Conference¹ on May 11, 2021, 09:00 AM via Zoom Platform (Meeting ID: 835 8577 2308, Passcode: 322629) which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below on or before *01:30 PM of May 26, 2021*. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on *May 26, 02:00 PM* at the *Cayetano Hall, BASC, San Ildefonso, Bulacan*. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. *Observers will be invited to attend and witness the bid proceedings.*
- 11. The *Bulacan Agricultural State College* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 12. For further information, please refer to:

CORAZON R. ABABA

BAC Secretariat
BULACAN AGRICULTURAL STATE COLLEGE
Brgy. Pinaod, San Ildefonso, Bulacan
(044) 697-1240 and 0918-519-2774
ababa75corazon@gmail.com
www.basc.edu.p

13. You may visit the following websites:

For downloading of Bidding Documents: http://www.basc.edu.ph/index.php/2-uncategorised/50-invitation-to-bid

May 3, 2021

RONALD REAGAN T. ALONZO, Ph.D.

BAC Chairperson

¹ May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a Pre-Bid Conference.

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, *Bulacan Agricultural State College* wishes to receive Bids for the *ACQUISITION OF TECHNOLOGY COMMERCIALIZATION LABORATORY EQUIPMENT FOR THE PROVISION OF HIGHER EDUCATION SERVICES* with identification number 2021-07G.

The Procurement Project (referred to herein as "Project") is composed of *seven* (7) item, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2021 in the amount of *Php4*,000,000.00.
- 2.2. The source of funding is:
 - a. NGA, the General Appropriations Act or Special Appropriations.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Not Applicable.

- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to at least fifty percent (50%) of the ABC or have completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *fifty percent* (50%) in the case of non-expendable supplies and services or twenty-five percent (25%) in the case of expendable supplies of the ABC for this Project;
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

- 7.1. The Procuring Entity has prescribed that:
 - a. Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time via online platform as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last five* (5) *years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must

be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers

registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.

ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration² or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *September 26*, *2021*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address as indicated in paragraph 7 of the **IB**.

² In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as One Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

TITITO					
ITB Clause					
5.3	For this purpose, contracts similar to the Project shall be:				
	a. Delivery, assembly, installation of air-conditioning units for Lot 1 and laboratory equipment for Lot 2.				
	b. completed within five (5) years prior to the deadline for the submission and receipt of bids that is equivalent to 50% of ABC or Php120,000.00 for Lot 1 and Php1,880,000.00 or completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least <i>fifty</i> percent (50%) in the case of non-expendable supplies and services or twenty-five percent (25%) in the case of expendable supplies of the ABC for this Project;				
7.1	Subcontracting is not allowed.				
12	The bid prices of Goods and services supplied from outside of the Philippines shall be quoted ion Philippine Pesos.				
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:				
	a. The amount of not less than Four Thousand Eight Hundred Pesos (Php4,800.00) for Lot 1 and Seventy Five Thousand Two Hundred Pesos (Php75,200.00) for Lot 2 or Eighty Thousand Pesos (Php80,000.00) for Lots 1 and 2 [(2%) of the ABC] if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or				
	b. The amount of not less than Twelve Thousand Pesos (Php12,000.00) for Lot 1 and One Hundred Eighty-Eight Thousand Pesos (Php188,000.00) for Lot 2 or Two Hundred Thousand Pesos (Php200,000.00) for Lots 1 and 2 [(5%) of the ABC], if bid security is in Surety Bond.				
19.3	The project will be awarded by lot:				
	Lot Title ABC				
	Lot 1Air-conditioning UnitsPhp240,000.00Lot 2Laboratory EquipmentPhp3,760,000.00				
20.2	1. Income Tax Return (form 1701/1702) with Audited Financial Statement.				
	2. Business Tax Return (forms 2550M and 2550Q) for the last six (6) months (June to November 2020) prior to opening of Bids filed thru Electronic Filing and Payment System (EFPS). Only tax returns filed and taxes paid through the BIR Electronic Filing and Payment System (EFPS) shall be accepted.				
21.2	Not Applicable				

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

	Special Conditions of Contract
GCC Clause	
1	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	"The delivery terms applicable to this Contract are delivered at BASC, San Ildefonso, Bulacan. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is Ms. Rona Angela O. Clarin.
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;
	c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
	d. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
2.2	The terms of payment shall be as follows: Upon certification of complete delivery of items by the end user and BASC Inspection Team."
4	The inspections and tests that will be conducted are: <i>On site testing of all items to be procured to be approved by the TWG.</i>

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Numbe r	Description	Quantit y	Total	Delivered, Weeks /Months
Lot 1: Air	-conditioning Units			
1	2.0 HP Split Type Wall Mounted Inverter ACU	4	240,000.00	90 Calendar
	Maximum cooling capacity at least 19,694Btu/hr and 20,777kl/hr			Days
	EER: 13.0 Btu/hr and 13.7kl/hr			
	Refrigerant Type: R410a Eco-Friendly Refrigerant			
	Power supply: 220-230V/ 60Hz 1 Single Phase			
	Power Cosumption:1725W			
	Rated Current:7.5A			
	Room Area Capacity:23 – 33 Sqm			
	Wireless Remote Control			
	Timer Switch			
	FEATURES :			
	2 Way Draining			
	Digital Display			
	Fast Cooling			
	Refrigerant Leakage Detect			
	Eco Mode			
	3M filter			
	Self –diagnosis			
	Refreshed Air			
	Flexible Installation			
	Easy Installation & Maintenance			
	Anti-Corrosion			
	Low Noise			
	Cold Catalyst Technology			
	1 year warranty parts and service ** 5 years			
	warranty on compressor*			
T + 2 T 1	With installation and Electricals			
Lot 2: Lab	poratory Equipment			
1	SPECTROPHOTOMETER,	1	450,000.00	90 Calendar
	Optical Specifications:			Days
	-Wavelength Range: 190 - 1100 nm.			
	-Spectral Bandwidth (Slit Width): 4 nm.			

	-Monochromator: Single beam Littrow type, grating 1200 lines/mm.			
	-Wavelength Accuracy: ± 0.8 nm.			
	-Wavelength Repeatability: ± 0.5 nm.			
	-Wavelength Calibration: Automatic at start.			
	-Light Source: Tungsten halogen/deuterium lamp.			
	-Detector: Solid silicon photodiode.			
	-Photometric Readout: 1/4 VGA 320 x 240 pixels (dots) backlit LCD.			
	-Photometric Range: 0 to 200%T / -0.3 to 3.0 A / 0 to 9999 °C.			
	-Photometric Accuracy: ± 0.5%T.			
	-Zero Drift: Baseline Flatness: ± 0.004 A.			
	-Stability: 0.002 A/h at 500 nm.			
	-Stray Light: Scanning Speed: High, medium, low maximum 1000 nm/min.			
2	EXHAUST HOOD,	2	90,000.00	90 Calendar
	Specifications:			Days
	-Standard Dimensions (LxWxH)(mm): 900 x 800 x 650			
	-Strong Ventilation			
	-Long Lasting Grade 304 Stainless steel Material			
	-Equipped with:			
	Removable Stainless-Steel Baffle Filter Effectively separates Air and Fume as being			
	exhausted			
	With motor exhaust Fan and Lamp			
3	VISCOSIMETER,	1	175,000.00	90 Calendar
	Speeds: 100, 50, 20, 10, 5, 2.5, 1, 0.5			Days
	Accuracy: +1% of FullScale Range in use			
	Repeatability: +0.2% of Full Scale range in use			
	Operating Temperature: -20 C (-4F) to 65 C (149F)			
4	INCUBATOR,	1	205,000.00	90 Calendar
	Temperature range: ambient temperature plus 5 °C to 100 °C			Days
	- High temperature accuracy thanks to APT.line technology			
	- Natural convection			
	- Controller with LCD display			
	- Electromechanical control of the exhaust air flap			
	- Inner door made of tempered safety glass			
	- 2 chrome-plated racks			
	- Stackable			
	- Class 3.1 integrated independent temperature safety device (DIN 12880) with visual alarm			
<u> </u>	I .	l I	1	<u> </u>

		11			1
	- Ergonomic handle design				
	- USB port for recording data				
	Temperature range 5 °C above ambient temperature to [°C]: 100				
	Temperature variation at 37 °C [± K]: 0.4				
	Temperature fluctuation at 37 °C [± K]: 0.1				
	Heating-up time to 37 °C [min]: 55				
	Electrical data				
	Rated Voltage [V]: 230				
	Power frequency [Hz]: 50/60				
	Nominal power [kW]: 0.35				
	Unit fuse [A]: 6.3				
	Phase (Nominal voltage): 1~				
	Measures				
	Interior volume [L]: 115				
	Measures - Doors				
	Unit doors: 1				
	Measures - Internal Dimensions				
	Width [mm]: 510				
	Height [mm]: 530				
	Depth [mm] : 420				
	Measures - Outer dimensions				
	Width net [mm]: 710				
	Height net [mm]: 735				
	Depth net [mm]: 605				
	Wall clearance sidewise [mm]: 100				
	Wall clearance back [mm]: 160				
	Environment-specific data				
	Energy consumption at 37 °C: 25 Wh/h				
	Fixtures				
	Number of shelves (standard/maximum): 2/5				
5	KJELDAHL DIGESTION SET UP,		1	865,000.00	90 Calendar
	Specifications:				Days
	Heating places: 8				
	Size of tubes [ml]: 250/300				
	Temperature max. [°C]: 430				
	Temperature control accuracy [%]: +/- 0.5 Programs: 99				
	Display size [inch]: 2.4				
	Power consumption [W]: 1000				
	Dimensions W / D / H [mm]: 515 / 483 / 728				
	Weight [kg]: approx. 31				
	Nominal voltage [V]: 230 (115)				
	Frequency [Hz]: 50 - 60				
	- Digestion tubes				
5	KJELDAHL DIGESTION SET UP, Specifications: Heating places: 8 Size of tubes [ml]: 250/300 Temperature max. [°C]: 430 Temperature control accuracy [%]: +/- 0.5 Programs: 99 Display size [inch]: 2.4 Power consumption [W]: 1000 Dimensions W / D / H [mm]: 515 / 483 / 728 Weight [kg]: approx. 31 Nominal voltage [V]: 230 (115) Frequency [Hz]: 50 - 60		1	865,000.00	90 Calendar Days

- KJELDATHERM® digestion block with two-tier console and operating unit
- Insert rack for tube
- Exhaust manifold with drip tray
- Water jet pump
- Isoversinic-tubing

PRECISE TEMPERATURE CONTROLLER

- Control accuracy +/- 0.5%
- 99 programs with max. 40 heating stages can be programmed
- 30 predefined methods
- Variable heating speeds.

HIGH QUALITY COMPONENTS:

- Aluminum digestion block with optimum energy utilization and effective all-round insulation
- Enameled, acid-resistant surface
- Sample tubes and extraction unit made of high quality Duran® glass
- Housing is extra corrosion-protected.

SAFETY FEATURES:

- Thermally insulated handles
- Drip tray for collecting acid residue Safety temperatures can be set
- Acoustic and visual error warnings
- Exhaust equipment switches on automatically
- Overheating protection.

WITH SCRUBBER:

Specifications

Dimensions W / D / H [mm]: 330 / 450 / 420

Weight [kg]: 19

Nominal voltage [V]: 230 / 115 Frequency [Hz]: 50 - 60 / 60

Features:

- Powerful suction washer; tried and tested quality for extraction and washing out of the inorganic acid fumes created during digestion.
- Condenses and neutralizes aggressive acid fumes, suited for all KJELDATHERM® systems: For digestion with sulphuric acid in nitrogen determination using the Kjeldahl method, digestion with aqua regia (heavy metal digestion) and with perchloric acid/nitric acid (hydroxyproline digestion).
- Optimum extraction at exceptionally low operating costs.
- With two-stage preseparator for elimination and neutralization.
- Continuously adjustable suction capacity

6	KJELDAHL DISTILLATION UNIT, Specifications: Cooling water consumption [I/min]: 2/5/7 Cooling water pressure [bar]: 1-6 Distillation time [min]: 2 - 4 Recovery rate [%]: > 99.5 Reproducibility [%]: +/- 1 Detection limit N [mg]:0,1 Nominal voltage [VAC]: 230 / 115 Frequency [Hz]: 50 - 60 Nominal wattage [W]: 2200 Weight [kg]: 38 Dimensions W / D / H [mm]: 527 / 390 / 697 Order Information: Version Acid resistant, 230 V/	1	870,000.00	90 Calendar Days
	Equipped with acid resistant pumps WITH TANK LEVEL CONTROL AND 3 STORAGE TANK 10 LITERS, HDPE			
7	FIBER ANALYZER, CONSTRUCTION MATERIAL: epoxy painted stainless steel structure TYPE OF EXTRACTIONS: cold and hot extractions SAMPLES: individually processed NUMBER OF SAMPLES: 3 positions SAMPLE QUANTITY: from 0,5 to 3 g REPRODUCIBILITY (RSD): ± 1% SAMPLE REMOVAL: air pump REAGENT DISCHARGE: peristaltic pump DIGITAL TIMER: 0 - 99 minutes with acoustic signal at the end TEMPERATURE: electronic regulation REAGENTS AND COOLING WATER: separated outlets DIGITAL TIMER: 0 - 99 minutes with acoustic signal at the end POWER: 900 W WEIGHT: 35 Kg (77 lb) DIMENSIONS (WXHXD): 530x620x390 mm (20.9x24.4x15.4 in) APPLICATIONS: Raw fiber (Weende, Wijstrom) Neutral or acid detergent treatment fiber (Van Soest) Lignin, Cellulose, Hemicellulose Including: RC 2 - F20700430 Heat shield - 40000167 PVC tube - 10001086		655,000.00	90 Calendar Days

	Glass crucible P2 - 6pcs - A00000140 2 x Reagent glass bottle - 10001112 Pincer for crucibles - 10000247 Crucibles holder - 40000166 Inlet tube – 10000280 Water spray device - A00001135			
8	SOXHLET FAT ANALYZER, Specifications: Max. Temperature [°C]: 425 Heating places: 6 Size of flasks [ml]: 250, 500 Dimensions W / D / H [mm]: 900 / 225 / 650 Weight [kg]: 14 Nominal voltage [V]: 230, 115 Frequency [Hz]: 50 - 60 Nominal wattage [W]: 2700 consisting of: - Serial heating bench EV16, 6-place, D 85mm, 425°C, 230VAC 50-60Hz 2700W - Interchangeable top mould All, D 95 mm - Airbath insert (cobweb) SP II, for interchangeable top mould All - Support rod ST60, L 600 mm - Soxhlet Glass Set, 250ml (6 units) - Holder SHK2 (2 units)	1	450,000.00	90 Calendar Days
[signature]	[in the capace			

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

Item	Specification	Statement of Compliance	
		[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and crossreferenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]	
	ir-conditioning Units		
1	2.0 HP Split Type Wall Mounted Inverter ACU Maximum cooling capacity at least 19,694Btu/hr and 20,777kl/hr EER: 13.0 Btu/hr and 13.7kl/hr Refrigerant Type: R410a Eco-Friendly Refrigerant Power supply: 220-230V/ 60Hz 1 Single Phase Power Cosumption:1725W Rated Current:7.5A Room Area Capacity:23 – 33 Sqm Wireless Remote Control Timer Switch FEATURES: 2 Way Draining		

	Digital Display	
	Fast Cooling	
	Refrigerant Leakage Detect	
	Eco Mode	
	3M filter	
	Self –diagnosis	
	Refreshed Air	
	Flexible Installation	
	Easy Installation & Maintenance	
	Anti-Corrosion	
	Low Noise	
	Cold Catalyst Technology	
	1 year warranty parts and service ** 5 years	
	warranty on compressor*	
	With installation and Electricals	
Lot 2: Lab	poratory Equipment	
1	SPECTPOPHOTOMETED	
1	SPECTROPHOTOMETER,	
	Optical Specifications:	
	-Wavelength Range: 190 - 1100 nm.	
	-Spectral Bandwidth (Slit Width): 4 nm.	
	-Monochromator: Single beam Littrow type, grating 1200 lines/mm.	
	-Wavelength Accuracy: ± 0.8 nm.	
	-Wavelength Repeatability: ± 0.5 nm.	
	-Wavelength Calibration: Automatic at start.	
	-Light Source: Tungsten halogen/deuterium lamp.	
	-Detector: Solid silicon photodiode.	
	-Photometric Readout: 1/4 VGA 320 x 240 pixels (dots) backlit LCD.	
	-Photometric Range: 0 to 200%T / -0.3 to 3.0 A / 0 to 9999 °C.	
	-Photometric Accuracy: ± 0.5%T.	
	-Zero Drift: Baseline Flatness: ± 0.004 A.	
	-Stability: 0.002 A/h at 500 nm.	
	-Stray Light: Scanning Speed: High, medium, low maximum 1000 nm/min.	
2	EXHAUST HOOD,	
	Specifications:	
	-Standard Dimensions (LxWxH)(mm): 900 x	
	800 x 650	
	-Strong Ventilation -Long Lasting Grade 304 Stainless steel Material	
	-Equipped with:	
	Removable Stainless-Steel Baffle Filter Effectively separates Air and Fume as being	
	exhausted	

	2. With motor exhaust Fan and Lamp	
3	VISCOSIMETER,	
	Speeds: 100, 50, 20, 10, 5, 2.5, 1, 0.5	
	Accuracy: +1% of FullScale Range in use	
	Repeatability: +0.2% of Full Scale	
	range in use Operating Temperature: -20 C (-4F) to 65 C	
	(149F)	
4	INCUBATOR,	
	Temperature range: ambient temperature plus 5 °C to 100 °C	
	- High temperature accuracy thanks to APT.line technology	
	- Natural convection	
	- Controller with LCD display	
	- Electromechanical control of the exhaust air flap	
	- Inner door made of tempered safety glass	
	- 2 chrome-plated racks	
	- Stackable	
	- Class 3.1 integrated independent temperature safety device (DIN 12880) with visual alarm	
	- Ergonomic handle design	
	- USB port for recording data	
	Temperature range 5 °C above ambient temperature to [°C]: 100	
	Temperature variation at 37 °C [± K]: 0.4	
	Temperature fluctuation at 37 °C [± K]: 0.1	
	Heating-up time to 37 °C [min]: 55	
	Electrical data	
	Rated Voltage [V]: 230	
	Power frequency [Hz]: 50/60 Nominal power [kW]: 0.35	
	Unit fuse [A]: 6.3	
	Phase (Nominal voltage): 1~	
	Measures	
	Interior volume [L]: 115	
	Measures - Doors	
	Unit doors: 1	
	Measures - Internal Dimensions	
	Width [mm]: 510	
	Height [mm]: 530	
	Depth [mm] : 420	
	Measures - Outer dimensions	
	Width net [mm]: 710	
	Height net [mm]: 735	
	Depth net [mm]: 605	

	Wall clearance sidewise [mm]: 100	
	Wall clearance back [mm]: 160	
	Environment-specific data	
	Energy consumption at 37 °C: 25 Wh/h	
	Fixtures	
	Number of shelves (standard/maximum): 2/5	
5	KJELDAHL DIGESTION SET UP,	
	Specifications:	
	Heating places: 8	
	Size of tubes [ml]: 250/300	
	Temperature max. [°C]: 430	
	Temperature control accuracy [%]: +/- 0.5 Programs: 99	
	Display size [inch]: 2.4	
	Power consumption [W]: 1000	
	Dimensions W / D / H [mm]: 515 / 483 / 728	
	Weight [kg]: approx. 31	
	Nominal voltage [V]: 230 (115)	
	Frequency [Hz]: 50 - 60	
	- Digestion tubes	
	- KJELDATHERM® digestion block with two-tier console and operating unit	
	- Insert rack for tube	
	- Exhaust manifold with drip tray	
	- Water jet pump	
	- Isoversinic-tubing	
	PRECISE TEMPERATURE CONTROLLER	
	- Control accuracy +/- 0.5%	
	- 99 programs with max. 40 heating stages - can be programmed	
	- 30 predefined methods	
	- Variable heating speeds.	
	HIGH QUALITY COMPONENTS:	
	- Aluminum digestion block with optimum energy utilization and effective all-round insulation	
	- Enameled, acid-resistant surface	
	- Sample tubes and extraction unit made of high quality - Duran® glass	
	- Housing is extra corrosion-protected.	
	SAFETY FEATURES:	
	- Thermally insulated handles	
	- Drip tray for collecting acid residue – Safety temperatures can be set	
	 Acoustic and visual error warnings Exhaust equipment switches on automatically Overheating protection. 	

	T	
	WITH SCRUBBER:	
	Specifications	
	Dimensions W / D / H [mm]: 330 / 450 / 420	
	Weight [kg]: 19	
	Nominal voltage [V]: 230 / 115	
	Frequency [Hz]: 50 - 60 / 60	
	Features:	
	 Powerful suction washer; tried and tested quality for extraction and washing out of the inorganic acid fumes created during 	
	digestion.	
	- Condenses and neutralizes aggressive acid fumes, suited for all KJELDATHERM®	
	systems: For digestion with sulphuric acid in	
	nitrogen determination using the Kjeldahl method, digestion with aqua regia (heavy	
	metal digestion) and with perchloric	
	acid/nitric acid (hydroxyproline digestion).	
	- Optimum extraction at exceptionally low operating costs.	
	- With two-stage preseparator for elimination and neutralization.	
	- Continuously adjustable suction capacity	
6	KJELDAHL DISTILLATION UNIT,	
	Specifications:	
	Cooling water consumption [l/min]: 2/5/7	
	Cooling water pressure [bar]: 1-6	
	Distillation time [min] : 2 - 4	
	Recovery rate [%]: > 99.5	
	Reproducibility [%]: +/- 1	
	Detection limit N [mg] :0,1	
	Nominal voltage [VAC]: 230 / 115	
	Frequency [Hz]: 50 - 60	
	Nominal wattage [W]: 2200	
	Weight [kg]: 38	
	5 1 5.	
	Dimensions W / D / H [mm]: 527 / 390 / 697 Order Information: Version Acid resistant,	
	230 V/ Equipped with acid resistant pumps	
	WITH TANK LEVEL CONTROL AND 3	
	STORAGE TANK 10 LITERS, HDPE	
7	FIBER ANALYZER,	
	CONSTRUCTION MATERIAL: epoxy	
	painted stainless steel structure TYPE OF EXTRACTIONS: cold and hot	
	extractions	
	SAMPLES: individually processed	
	NUMBER OF SAMPLES: 3 positions	

	SAMPLE QUANTITY: from 0,5 to 3 g REPRODUCIBILITY (RSD): ± 1% SAMPLE REMOVAL: air pump REAGENT DISCHARGE: peristaltic pump DIGITAL TIMER: 0 - 99 minutes with acoustic signal at the end TEMPERATURE: electronic regulation REAGENTS AND COOLING WATER: separated outlets DIGITAL TIMER: 0 - 99 minutes with acoustic signal at the end	
	SAMPLE REMOVAL: air pump REAGENT DISCHARGE: peristaltic pump DIGITAL TIMER: 0 - 99 minutes with acoustic signal at the end TEMPERATURE: electronic regulation REAGENTS AND COOLING WATER: separated outlets DIGITAL TIMER: 0 - 99 minutes with acoustic signal at the end	
	REAGENT DISCHARGE: peristaltic pump DIGITAL TIMER: 0 - 99 minutes with acoustic signal at the end TEMPERATURE: electronic regulation REAGENTS AND COOLING WATER: separated outlets DIGITAL TIMER: 0 - 99 minutes with acoustic signal at the end	
	DIGITAL TIMER: 0 - 99 minutes with acoustic signal at the end TEMPERATURE: electronic regulation REAGENTS AND COOLING WATER: separated outlets DIGITAL TIMER: 0 - 99 minutes with acoustic signal at the end	
	acoustic signal at the end TEMPERATURE: electronic regulation REAGENTS AND COOLING WATER: separated outlets DIGITAL TIMER: 0 - 99 minutes with acoustic signal at the end	
	REAGENTS AND COOLING WATER: separated outlets DIGITAL TIMER: 0 - 99 minutes with acoustic signal at the end	
	separated outlets DIGITAL TIMER: 0 - 99 minutes with acoustic signal at the end	
	acoustic signal at the end	
	POWER: 900 W	
	WEIGHT: 35 Kg (77 lb)	
	DIMENSIONS (WXHXD): 530x620x390 mm (20.9x24.4x15.4 in)	
	APPLICATIONS: Raw fiber (Weende, Wijstrom)	
	Neutral or acid detergent treatment fiber (Van Soest)	
	Lignin, Cellulose, Hemicellulose	
	Including:	
	RC 2 - F20700430	
	Heat shield - 40000167 PVC tube – 10001086	
	Glass crucible P2 - 6pcs - A00000140 2 x Reagent glass bottle - 10001112 Pincer for crucibles - 10000247 Crucibles holder - 40000166	
	Inlet tube - 10000280	
,	Water spray device - A00001135	
8	SOXHLET FAT ANALYZER,	
	Specifications:	
	Max. Temperature [°C]: 425	
	Heating places: 6	
	Size of flasks [ml]: 250, 500	
	Dimensions W / D / H [mm]: 900 / 225 / 650	
	Weight [kg]: 14	
	Nominal voltage [V]: 230, 115	
	Frequency [Hz]: 50 - 60	
	Nominal wattage [W]: 2700	
	consisting of:	
	- Serial heating bench EV16, 6-place, D 85mm, 425°C, 230VAC 50-60Hz 2700W	
	- Interchangeable top mould AII, D 95 mm	
	- Airbath insert (cobweb) SP II, for	
	• •	
	- Holder SHK2 (2 units)	
	- Support rod ST60, L 600 mm - Soxhlet Glass Set, 250ml (6 units)	

[signature]	[in the capacity of]
Duly authorized to sign Bid for and on beh	nalf of

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

<u>Legal Do</u>	<u>cuments</u>
(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);
(b)	Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document, and
(c)	Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas; and
(d)	Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).
Technica	l Documents
(f)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and
(g)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
(h)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; or
(i)	Original copy of Notarized Bid Securing Declaration; <u>and</u> Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or aftersales/parts, if applicable; <u>and</u>
[(j)	Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
Financial	Documents
(k)	The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and
(l)	The prospective bidder's computation of Net Financial Contracting

	Capacity (NFCC);
	or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
	Class "B" Documents
(m)	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
	or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
Other do	cumentary requirements under RA No. 9184 (as applicable)
(n)	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government
	office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
(o)	
FINANC	CIAL COMPONENT ENVELOPE
(a)	Original of duly signed and accomplished Financial Bid Form; and
(b)	Original of duly signed and accomplished Price Schedule(s).

Bid Form for the Procurement of Goods

[shall be submitted with the Bid]

BID FORM
Date :
Project Identification No. :
To: [name and address of Procuring Entity]
Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to [supply/deliver/perform] [description of the Goods] in conformity with the said PBDs for the sum of [total Bid amount in words and figures] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules,
If our Bid is accepted, we undertake:
 to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
 to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.
[Insert this paragraph if Foreign-Assisted Project with the Development Partner: Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:
Name and address Amount and Purpose of of agentCurrencyCommission or gratuity
(if none, state "None")]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:	
Legal capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	

For Goods Offered From Within the Philippines

Name of Bidder	Invitation to Bid Number 2021-07G Page	of
----------------	----------------------------------------	----

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
Lot 1: A	air-conditioning Units								
1	2.0 HP Split Type Wall Mounted Inverter ACU Maximum cooling capacity at least 19,694Btu/hr and 20,777kl/hr EER: 13.0 Btu/hr and 13.7kl/hr Refrigerant Type: R410a Eco-Friendly Refrigerant Power supply: 220-230V/ 60Hz 1 Single Phase Power Cosumption:1725W Rated Current:7.5A Room Area Capacity:23 – 33 Sqm Wireless Remote Control Timer Switch FEATURES: 2 Way Draining Digital Display Fast Cooling Refrigerant Leakage Detect Eco Mode		4						

		1	1	ı	T		1	
	3M filter							
	Self –diagnosis							
	Refreshed Air							
	Flexible Installation							
	Easy Installation & Maintenance							
	Anti-Corrosion							
	Low Noise							
	Cold Catalyst Technology							
	1 year warranty parts and service ** 5 years warranty on							
	compressor*							
I + 2 I	With installation and Electricals							
Lot 2: La	aboratory Equipment							
1	SPECTROPHOTOMETER,			1				
	Optical Specifications:							
	-Wavelength Range: 190 - 1100 nm.							
	-Spectral Bandwidth (Slit Width): 4 nm.							
	-Monochromator: Single beam Littrow type, grating 1200 lines/mm.							
	-Wavelength Accuracy: ± 0.8 nm.							
	-Wavelength Repeatability: ± 0.5 nm.							
	-Wavelength Calibration: Automatic at start.							
	-Light Source: Tungsten halogen/deuterium lamp.							
	-Detector: Solid silicon photodiode.							
	-Photometric Readout: 1/4 VGA 320 x 240 pixels (dots) backlit LCD.							
	-Photometric Range: 0 to 200%T / -0.3 to 3.0 A / 0 to 9999 °C.							
	-Photometric Accuracy: ± 0.5%T.							
	-Zero Drift: Baseline Flatness: ± 0.004 A.							
	-Stability: 0.002 A/h at 500 nm.							

	-Stray Light: Scanning Speed: High, medium, low maximum 1000 nm/min.					
2	EXHAUST HOOD,		2			
	Specifications:					
	-Standard Dimensions (LxWxH)(mm): 900 x 800 x 650					
	-Strong Ventilation					
	-Long Lasting Grade 304 Stainless steel Material					
	-Equipped with:					
	Removable Stainless-Steel Baffle Filter Effectively separates Air and Fume as being exhausted With motor exhaust Fan and Lamp					
3	VISCOSIMETER,		1			
	Speeds: 100, 50, 20, 10, 5, 2.5, 1, 0.5					
	Accuracy: +1% of FullScale Range in use Repeatability: +0.2% of Full Scale range in use Operating Temperature: -20 C (-4F) to 65 C (149F)					
4	INCUBATOR,		1			
	Temperature range: ambient temperature plus 5 °C to 100 °C					
	- High temperature accuracy thanks to APT.line technology					
	- Natural convection					
	- Controller with LCD display					
	- Electromechanical control of the exhaust air flap					
	- Inner door made of tempered safety glass					
	- 2 chrome-plated racks					
	- Stackable					
	- Class 3.1 integrated independent temperature safety device (DIN 12880) with visual alarm					

		1		T T	
- Ergonomic handle design					
- USB port for recording data					
Temperature range 5 °C above ambient temperature to [°C]: 100					
Temperature variation at 37 °C [± K]: 0.4					
Temperature fluctuation at 37 °C [± K]: 0.1					
Heating-up time to 37 °C [min]: 55					
Electrical data					
Rated Voltage [V]: 230					
Power frequency [Hz]: 50/60					
Nominal power [kW]: 0.35					
Unit fuse [A]: 6.3					
Phase (Nominal voltage): 1~					
Measures					
Interior volume [L]: 115					
Measures - Doors					
Unit doors: 1					
Measures - Internal Dimensions					
Width [mm]: 510					
Height [mm]: 530					
Depth [mm] : 420					
Measures - Outer dimensions					
Width net [mm]: 710					
Height net [mm]: 735					
Depth net [mm]: 605					
Wall clearance sidewise [mm]: 100					
Wall clearance back [mm]: 160					
Environment-specific data					
Energy consumption at 37 °C: 25 Wh/h					

	Fixtures					
	Number of shelves (standard/maximum): 2/5					
5	KJELDAHL DIGESTION SET UP,		1			
	Specifications:					
	Heating places: 8					
	Size of tubes [ml]: 250/300					
	Temperature max. [°C]: 430					
	Temperature control accuracy [%]: +/- 0.5 Programs: 99					
	Display size [inch]: 2.4					
	Power consumption [W]: 1000					
	Dimensions W / D / H [mm]: 515 / 483 / 728					
	Weight [kg]: approx. 31					
	Nominal voltage [V]: 230 (115)					
	Frequency [Hz]: 50 - 60					
	- Digestion tubes					
	- KJELDATHERM® digestion block with two-tier console and operating unit					
	- Insert rack for tube					
	- Exhaust manifold with drip tray					
	- Water jet pump					
	- Isoversinic-tubing					
	PRECISE TEMPERATURE CONTROLLER					
	- Control accuracy +/- 0.5%					
	- 99 programs with max. 40 heating stages - can be programmed					
	- 30 predefined methods					
	- Variable heating speeds.					
	HIGH QUALITY COMPONENTS:					

Aluminum digestion block with optimum energy utilization and effective all-round insulation					
- Enameled, acid-resistant surface					
- Sample tubes and extraction unit made of high quality - Duran® glass					
- Housing is extra corrosion-protected.					
SAFETY FEATURES:					
- Thermally insulated handles					
- Drip tray for collecting acid residue – Safety temperatures can be set					
- Acoustic and visual error warnings					
- Exhaust equipment switches on automatically					
- Overheating protection.					
WITH SCRUBBER:					
Specifications					
Dimensions W / D / H [mm]: 330 / 450 / 420					
Weight [kg]: 19					
Nominal voltage [V]: 230 / 115					
Frequency [Hz]: 50 - 60 / 60					
Features:					
- Powerful suction washer; tried and tested quality for extraction and washing out of the inorganic acid fumes created during digestion.					
- Condenses and neutralizes aggressive acid fumes, suited for all KJELDATHERM® systems: For digestion with sulphuric acid in nitrogen determination using the Kjeldahl method, digestion with aqua regia (heavy metal digestion) and with perchloric acid/nitric acid (hydroxyproline digestion).					

			1	1	1	1	I	ı	
	- Optimum extraction at exceptionally low operating costs.								
	- With two-stage preseparator for elimination and neutralization.								
	- Continuously adjustable suction capacity								
6	1	1		1					
	KJELDAHL DISTILLATION UNIT,								
	Specifications:								
	Cooling water consumption [l/min]: 2/5/7								
	Cooling water pressure [bar]: 1-6								
	Distillation time [min] : 2 - 4								
	Recovery rate [%]: > 99.5								
	Reproducibility [%]: +/- 1								
	Detection limit N [mg] :0,1								
	Nominal voltage [VAC]: 230 / 115								
	Frequency [Hz]: 50 - 60								
	Nominal wattage [W]: 2200								
	Weight [kg]: 38								
	Dimensions W / D / H [mm]: 527 / 390 / 697 Order Information: Version Acid resistant, 230 V/ Equipped with acid resistant pumps								
	WITH TANK LEVEL CONTROL AND 3 STORAGE TANK 10 LITERS, HDPE								
7	FIBER ANALYZER,			1					
	CONSTRUCTION MATERIAL: epoxy painted stainless steel structure								
	TYPE OF EXTRACTIONS: cold and hot extractions								
	SAMPLES: individually processed								
	NUMBER OF SAMPLES: 3 positions								
	SAMPLE QUANTITY: from 0,5 to 3 g								
					•				

	REPRODUCIBILITY (RSD): ± 1%					
	SAMPLE REMOVAL: air pump					
	REAGENT DISCHARGE: peristaltic pump					
	DIGITAL TIMER: 0 - 99 minutes with acoustic signal at the end					
	TEMPERATURE: electronic regulation					
	REAGENTS AND COOLING WATER : separated outlets					
	DIGITAL TIMER: 0 - 99 minutes with acoustic signal at the end					
	POWER: 900 W					
	WEIGHT: 35 Kg (77 lb)					
	DIMENSIONS (WXHXD): 530x620x390 mm (20.9x24.4x15.4 in)					
	APPLICATIONS: Raw fiber (Weende, Wijstrom)					
	Neutral or acid detergent treatment fiber (Van Soest)					
	Lignin, Cellulose, Hemicellulose					
	Including:					
	RC 2 - F20700430					
	Heat shield - 40000167 PVC tube – 10001086					
	Glass crucible P2 - 6pcs - A00000140 2 x Reagent glass bottle - 10001112 Pincer for crucibles - 10000247 Crucibles holder - 40000166					
	Inlet tube - 10000280					
	Water spray device - A00001135					
8	SOXHLET FAT ANALYZER,		1			
	Specifications:					
	Max. Temperature [°C]: 425					
	Heating places: 6					

Size of flasks [ml]: 250, 500									
Dimensions W / D / H [mm]: 9	900 / 225 / 650								
Weight [kg]: 14									
Nominal voltage [V]: 230, 115	5								
Frequency [Hz]: 50 - 60									
Nominal wattage [W]: 2700									
consisting of:									
- Serial heating bench EV16, D 85mm, 425°C, 230VAC 50									
- Interchangeable top mould	AII, D 95 mm								
- Airbath insert (cobweb) SP top mould All	II, for interchangeable								
- Support rod ST60, L 600 mi	m								
- Soxhlet Glass Set, 250ml (6	units)								
- Holder SHK2 (2 units)									
GRAND TOTAL		(IN WORD	S)						(IN FIGURES)
L		1							
[signature]	[signature] [in the capacity of]								
Duly authorized to sign Bid for and on behalf of									

Contract Agreement Form

	Y] of the	AGREEMENT made the Philippines (hereinafter blier] (hereinafter called "	called "the Ent	ity") of the one p	part and [name	
	and serv	REAS the Entity invited beices] and has accepted a cet price in words and figure	Bid by the Su	pplier for the su	pply of those g	
	NOW	THIS AGREEMENT WI	TNESSETH A	S FOLLOWS:		
1. them in		Agreement words and enditions of Contract referr		have the same r	meanings as are	e respectively assigned to
2. viz.:	The fo	ollowing documents shall	be deemed to fo	orm and be read	and construed a	as part of this Agreement,
	(a) (b) (c) (d) (e) (f) (g)		submitted (e.g. esulting from the rements; ations; s of Contract; of Contract; ity; and	bidder's respons	se to clarification	roposals, and all other ons on the bid), including tion;
	r hereb	sideration of the payment y covenants with the Ent ill respects with the provis	ity to provide t	he goods and se		
	s and th	ntity hereby covenants to e remedying of defects to sions of the contract at the	herein, the Cor	ntract Price or s	uch other sum	as may become payable
with the		ITNESS whereof the par f the Republic of the Phil				
Signed,	sealed,	delivered by		the		(for the Entity)
Signed,	sealed,	delivered by		the		(for the Supplier)

Omnibus Sworn Statement (Revised) [shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)	
CITY/MUNICIPALITY OF) S.	S

AFFIDAVIT

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
- 1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I have hereunto set my hand this _	_ day of	, 20 at	
Philippines.			

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)	
CITY OF	_) S.S.

BID SECURING DECLARATION Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

NET FINANCIAL CONTRACTING CAPACITY

		Year 20						
1	Total Assets							
2	Current Assets							
3	Total Liabilities							
4	Current Liabilities							
5	Net Worth (1-3)							
6	Net Working Capital (2-4)							
The Net Financial Contracting Capacity (NFCC) based on the above data is computed as follows: NFCC = [(Current assets – current liabilities) (15)] minus value of all outstanding or uncompleted portions of the projects under ongoing contracts including awarded contracts yet to be started coinciding								
with the	contract to be bid.	-						
liabilities	ues of the domestic bidder's current assets and shall be based on the latest Audited Financial Stated to the BIR.							
NFCC	= PhP	_						
Submitte	Submitted by:							
Name of Bidder								
Signature of Authorized Representative over Printed Name								
Doto								

