



**BULACAN AGRICULTURAL STATE COLLEGE**  
San Ildefonso, Bulacan 3010

**PROCUREMENT OF GOODS**  
**2023-01G: ACQUISITION OF EQUIPMENT FOR THE 4-**  
**STOREY VETERINARY MEDICINE BUILDING**

**FY 2022**

# Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

# Table of Contents

<b>Glossary of Acronyms, Terms, and Abbreviations .....</b>	<b>4</b>
<b>Section I. Invitation to Bid.....</b>	<b>7</b>
<b>Section II. Instructions to Bidders.....</b>	<b>10</b>
1. Scope of Bid .....	11
2. Funding Information.....	11
3. Bidding Requirements .....	11
4. Corrupt, Fraudulent, Collusive, and Coercive Practices .....	11
5. Eligible Bidders.....	11
6. Origin of Goods .....	12
7. Subcontracts .....	12
8. Pre-Bid Conference .....	12
9. Clarification and Amendment of Bidding Documents .....	12
10. Documents comprising the Bid: Eligibility and Technical Components .....	12
11. Documents comprising the Bid: Financial Component .....	13
12. Bid Prices .....	13
13. Bid and Payment Currencies .....	14
14. Bid Security .....	14
15. Sealing and Marking of Bids .....	14
16. Deadline for Submission of Bids .....	14
17. Opening and Preliminary Examination of Bids .....	15
18. Domestic Preference .....	15
19. Detailed Evaluation and Comparison of Bids .....	15
20. Post-Qualification .....	16
21. Signing of the Contract .....	16
<b>Section III. Bid Data Sheet .....</b>	<b>17</b>
<b>Section IV. General Conditions of Contract .....</b>	<b>19</b>
1. Scope of Contract .....	20
2. Advance Payment and Terms of Payment .....	20
3. Performance Security .....	20
4. Inspection and Tests .....	20
5. Warranty .....	21
6. Liability of the Supplier .....	21
<b>Section V. Special Conditions of Contract .....</b>	<b>22</b>
<b>Section VI. Schedule of Requirements .....</b>	<b>25</b>
<b>Section VII. Technical Specifications .....</b>	<b>39</b>
<b>Section VIII. Checklist of Technical and Financial Documents .....</b>	<b>55</b>

# *Glossary of Acronyms, Terms, and Abbreviations*

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means “delivered duty paid.”

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – “Free Carrier” shipping point.

**FOB** – “Free on Board” shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

## ***Section I. Invitation to Bid***

### **Notes on the Invitation to Bid**

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.





**BULACAN AGRICULTURAL STATE COLLEGE**  
**San Ildefonso, Bulacan 3010**

**INVITATION TO BID**

**INVITATION TO BID FOR 2023-01G: ACQUISITION OF  
EQUIPMENT FOR THE 4-STOREY VETERINARY MEDICINE  
BUILDING**

1. The *Bulacan Agricultural State College*, through the *GAA Capital Outlay FY 2022 (Continuing Fund)* intends to apply the sum of *Php10,000,000.00* being the ABC to payments under the contract for **2023-01G: Acquisition of Equipment for the 4-Storey Veterinary Medicine Building**. Bids received in excess of the ABC shall be automatically rejected at bid opening.
2. The *Bulacan Agricultural State College* now invites bids for the above Procurement Project. Delivery of the Goods is required with contract duration of 90 calendar days. Bidders should have completed, within the last five (5) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

4. Prospective Bidders may obtain further information from *BULACAN AGRICULTURAL STATE COLLEGE* and inspect the Bidding Documents at the address given below during *office hours from 8AM to 4:30PM*.
5. A complete set of Bidding Documents may be acquired by interested Bidders on *May 23, 2023 to June 13, 2023* from the given address and website(s) below *and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Php10,000.00*. The Procuring Entity shall allow the bidder to present its proof of payment for the fees *by presenting the receipt upon submission of their bid documents*.

6. The *Bulacan Agricultural State College* will hold a Pre-Bid Conference<sup>1</sup> on **May 30, 2023, 09:00 AM AM via Zoom Platform (Meeting ID: 817 8914 5971; Passcode: 466889)** which shall be open to prospective bidders.
7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below on or before **08:30 AM of June 13, 2023**. Late bids shall not be accepted.
8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
9. Bid opening shall be on **June 13, 2023, 09:00 AM** at the **Conference Room, Ground Floor, Farmers Training Center, BASC, San Ildefonso, Bulacan**. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
10. *Observers will be invited to attend and witness the bid proceedings.*
11. The *Bulacan Agricultural State College* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
12. For further information, please refer to:  
  
**RONA ANGELA O. CLARIN**  
*BAC Secretariat Head*  
**BULACAN AGRICULTURAL STATE COLLEGE**  
*Brgy. Pinaod, San Ildefonso, Bulacan*  
*(044) 697-1240 and 0923-108-1526*  
*ronaangela\_clarin@basc.edu.ph*  
*www.basc.edu.ph*
13. You may visit the following websites:  
  
For downloading of Bidding Documents: <http://www.basc.edu.ph>

May 23, 2023

**RONALD REAGAN T. ALONZO, Ph.D.**  
*BAC Chairperson*

---

<sup>1</sup> May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a Pre-Bid Conference.

## ***Section II. Instructions to Bidders***

### **Notes on the Instructions to Bidders**

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

## **1. Scope of Bid**

The Procuring Entity, *Bulacan Agricultural State College* wishes to receive Bids for the *Acquisition of Equipment for the 4-Storey Veterinary Medicine Building* with identification number *2023-01G*.

The Procurement Project (referred to herein as “Project”) is composed of *nineteen* (19) items, the details of which are described in Section VII (Technical Specifications).

## **2. Funding Information**

2.1. The GOP through the source of funding as indicated below for GAA 2022 (*Continuing Fund* in the amount of *Php10,000,000.00*).

2.2. The source of funding is:

a. NGA, the General Appropriations Act or Special Appropriations.

## **3. Bidding Requirements**

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

## **4. Corrupt, Fraudulent, Collusive, and Coercive Practices**

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

## **5. Eligible Bidders**

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

5.2. Not Applicable.

- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to at least fifty percent (50%) of the ABC or have completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *fifty percent (50%) in the case of non-expendable supplies and services or twenty-five percent (25%) in the case of expendable supplies*] of the ABC for this Project;
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

## **6. Origin of Goods**

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

## **7. Subcontracts**

- 7.1. The Procuring Entity has prescribed that:
  - a. Subcontracting is not allowed.

## **8. Pre-Bid Conference**

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time at its physical address as indicated in paragraph 6 of the **IB**.

## **9. Clarification and Amendment of Bidding Documents**

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

## **10. Documents comprising the Bid: Eligibility and Technical Components**

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last five (5) years* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must

be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

## **11. Documents comprising the Bid: Financial Component**

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

## **12. Bid Prices**

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.
  - b. For Goods offered from abroad:
    - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers

registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.

- ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

### **13. Bid and Payment Currencies**

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in Philippine Pesos.

### **14. Bid Security**

- 14.1. The Bidder shall submit a Bid Securing Declaration<sup>2</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *120 days from the opening of bids*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

### **15. Sealing and Marking of Bids**

**Each bidder shall submit one copy of the original of the first and second components of its Bid and plus two (2) copies of each kind, labeled as copy 1 and copy 2.**

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

### **16. Deadline for Submission of Bids**

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

---

<sup>2</sup> In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

## **17. Opening and Preliminary Examination of Bids**

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

## **18. Domestic Preference**

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

## **19. Detailed Evaluation and Comparison of Bids**

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as One Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting



the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

## **20. Post-Qualification**

20.1. *Not Applicable*

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

## **21. Signing of the Contract**

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

## ***Section III. Bid Data Sheet***

### **Notes on the Bid Data Sheet**

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

# Bid Data Sheet

ITB Clause	
5.3	<p>For this purpose, contracts similar to the Project shall be:</p> <ul style="list-style-type: none"> <li>a. <i>Provision of Equipment, peripherals, materials for veterinary medicine</i></li> <li>b. completed within five (5) years prior to the deadline for the submission and receipt of bids that is equivalent to 50% of ABC or completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least <i>fifty percent (50%) in the case of non-expendable supplies and services or twenty-five percent (25%) in the case of expendable supplies</i>] of the ABC for this Project;</li> </ul>
7.1	<i>Subcontracting is not allowed.</i>
12	The bid prices of Goods and services supplied from outside of the Philippines shall be quoted in Philippine Pesos.
14.1	<p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <ul style="list-style-type: none"> <li>a. The amount of not less than Php200,000.00 [(2%) of the ABC] if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> <li>b. The amount of not less than Php500,000.00 [(5%) of the ABC], if bid security is in Surety Bond.</li> </ul>
19.3	<i>The project will be awarded as a single item.</i>
20.2	<p>1. Income Tax Return (form 1701/1702) with Audited Financial Statement.</p> <p>2. Business Tax Return (forms 2550M and 2550Q) prior to opening of Bids filed thru Electronic Filing and Payment System (EFPS). Only tax returns filed and taxes paid through the BIR Electronic Filing and Payment System (EFPS) shall be accepted.</p>
21.2	<i>Not Applicable</i>

## ***Section IV. General Conditions of Contract***

### **Notes on the General Conditions of Contract**

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

## 1. **Scope of Contract**

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

## 2. **Advance Payment and Terms of Payment**

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

## 3. **Performance Security**

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184

## 4. **Inspection and Tests**

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project In addition to tests in the **SCC, Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

## **5. Warranty**

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

## **6. Liability of the Supplier**

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

## ***Section V. Special Conditions of Contract***

### **Notes on the Special Conditions of Contract**

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

## Special Conditions of Contract

GCC Clause	
1	<p><b>Delivery and Documents –</b></p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p>“The delivery terms applicable to this Contract are delivered <i>at BASC, San Ildefonso, Bulacan</i>. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is <i>Rona Angela O. Clarin</i>.</p> <p><b>Incidental Services –</b></p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <ol style="list-style-type: none"> <li>a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;</li> <li>b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li> <li>c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;</li> <li>d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and</li> <li>e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</li> </ol> <p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p>



	<p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p>
	<p><b>Intellectual Property Rights –</b></p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	<p>The terms of payment shall be as follows: Upon certification of complete delivery of items by the end user and BASC Inspection Team.”</p>
4	<p>The inspections and tests that will be conducted are: <i>On site testing of all items to be procured.</i></p>

## *Section VI. Schedule of Requirements*

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

<b>Item Number</b>	<b>Description</b>	<b>Quantity</b>	<b>Delivered, Weeks/Months</b>
1	<p><b>Digital Veterinary X-Ray Machine</b></p> <p><i>Power:</i> 32kW (can take clear images for the body no more than 50cm thickness)</p> <p><i>Power Supply:</i> Single Phase 220V 50/60HZ (wire diameter &gt; 4mm<sup>2</sup> internal resistance &lt;0.5Ω)</p> <p>mA: 10~400mA</p> <p>mAS: 1~400mAS, Stepping by R'10</p> <p>KV: 40~124kV, stepping by 1kV</p> <p>Exposure time: 0.003~6.3S adjustment: increased / reduced by 1mS each time</p> <p>X-ray tube: Toshiba 7239 / 7242 (equivalent or higher)</p> <p>Anode rotating speed / Anode heat Capacity: 2800prm / 140kHU</p> <p>Generator Frequency: 400kHz</p> <p><i>Radiography table (aproximate size W*L cm)</i> Width 70cm, Length 140cm</p> <p><i>Flat Panel Detector</i> Imaging Area 17*17 inches (minimum) Pixel Size 140um A/D Conversion 16bits Spatial Resolution 3.6lp/mm</p> <p><i>Software:</i> Professional veterinary software</p> <p><i>Computer configuration (minimum specs)</i> Intel i5 Processor 8gb memory</p>	1 lot	90 Calendar Days

	<p>2g discrete graphics card  128gb solid state drive  1TB Hard Disk Drive  PCI-E and Ethernet Dual Gigabit Network cable interface  R232 interface  22.5: Small dot pitch monitor  OS: Windows 10 (or higher)</p> <p>with:  2 pcs lab gown  2 pcs gonoidal shield  2 pcs thyroid shield  1 pc lead barrier  Installation of lead sheet on xray facility</p> <p>The equipment must be already at least 5 years in the market  with minimum 2 years warranty on parts and services  with training</p>		
2	<p><b>3 Differential fully auto Veterinary hematology analyzer</b></p> <p><i>Measuring Principles</i>  Impedance method for cells counting  Cyanide free colorimetric method for HGB measurement</p> <p><i>Measuring Channels</i>  Double channel for counting</p> <p><i>Throughput</i>  From beginning of a test to completion of the printout: ≤ 60 secondes</p> <p><i>Counting Modes</i>  Whole Blode, Pre-Diluted Blood</p> <p><i>Sample Volume</i>  Whole Blode: ≤14 µL  Pre-diluted Blood: ≤20 µL</p> <p><i>Parameters &amp; Histograms</i>  21 parameters and histograms:  WBC, Lymph#, Mid#, Gran#, Lymph%, Mid%, Gran%, RBC, HGB, MCV, MCH, MCHC, RDW-CV, RDW-SD, HCT, PLT, MPV, PDW, PCT, P-LCR,</p>	1 unit	90 Calendar Days

	<p>P-LCC, WBC Histogram, PLT histogram</p> <p><i>Reference Value Settings</i>  Preset five sets of reference Values: Man, Woman  Child, Baby, and general</p> <p><i>Alarm System</i>  Multiple Alarms of running status including blank counting abnormal, reagents, empty, waste full, counting hole clogged, counting area leak or bubble  recorder abnormal, external printer abnormal and circuit abnormal, etc</p> <p><i>Printout:</i>  English print report, optional report formats</p> <p><i>Storage:</i>  Can store more than 10,000 sample results, including parameters, histograms, and patient information. Support multiple conditions combination  query</p> <p><i>Communication:</i>  Open communication protocol. Support connection to LIS</p> <p><i>Data Import and Export:</i>  Import or export data via USB port</p> <p><i>Quality Control System:</i>  Include 9QC files, automatically draw quality control chart, provide the average, SD, CV</p> <p><i>Calibration System:</i>  Support manual and automatic calibration</p> <p><i>Software Upgrading:</i>  Upgrading software via USB port</p> <p><i>Display &amp; Touch Screen:</i>  10.4 inch true color TFT LCD and touch screen</p> <p><i>Printer:</i>  Built-in patented structure thermal printer,</p>		
--	---	--	--

	<p>paper 80mm wide, easy to load paper. &lt;5s printing</p> <p><i>Data ports:</i> One network port, one RS-232 port, four USB ports</p> <p><i>Optional External Devices With USB port:</i> Standard 101 keyboard, mouse, barcode scanner and multiple printers</p> <p><i>Power:</i> 220V, 50Hz Input Power: &lt;150VA</p>		
3	<p><b>Portable Doppler Ultrasound</b></p> <p><i>Gray scale: 256</i> <i>Color scale: 256</i></p> <p><i>Menu interface operation, language interface:</i> English</p> <p><i>Monitor:</i> 10.4" flicker free high resolution medical color LED (minimum)</p> <p><i>Adapter rating:</i> 100-240V~1/2-0.6A</p> <p><i>Frequency:</i> 50-60Hz</p> <p><i>Output of adapter:</i> DC12.8V 3.0A</p> <p>with: 1 pc Trolley 1 pc convex probe 1 pc linear probe 1 pc transvaginal probe Training Minimum 1 year warranty on parts and Services</p>	1 pc	90 Calendar Days
4	<p><b>Veterinary Mobile Anesthesia Machine</b></p> <p><i>Main body:</i> High-strength engineering plastic rack Light weight corrosion resistant</p>	1 pc	90 Calendar Days

	<p><i>Scope of application:</i> adult, child</p> <p><i>Gas source:</i> O<sub>2</sub>: 0.1~1.0K/min 1.1~10L/min, N<sub>2</sub>O: 0.1~1.0L/min 1.1~10L/min</p> <p><i>Flow meter</i> O<sub>2</sub>: 0.1~1.0L/min 1.1~10L/min N<sub>2</sub>O: 0.1~1.0L/min 1.1~L/min</p> <p><i>O<sub>2</sub>, N<sub>2</sub>O linkage and N<sub>2</sub>O Stopper:</i> When using nitrous oxide, oxygen concentration &gt;25%; When the oxygen pressure&lt;0.2Kpa, the flow of nitrous oxide would be cut off.</p> <p><i>Flow rate of rapid oxygen supply:</i> 25~75L/min</p> <p><i>Low oxygen pressure alarm:</i> There will be sound alarm when the oxygen pressure &lt;0.2Mpa</p> <p><i>Vaporizer:</i> It has the function of automatic compensation based on pressure, temperature, and flow rate. The regulation range of evaporator concentration is 0~5 vol%. Among Halothane, Enflurane, Isoflurane and Sevoflurane, one can be chosen for application as required by the customer.</p> <p><i>Respiratory circuit:</i> Working mode: all-close, semi-close, semi-open releasing pressure: 0.5~7kPa</p> <p><i>Respiratory Elbows:</i> bellows for adults, bellows for children tidal volume range: 0~1,500 ml</p> <p><i>Ventilator:</i> Display mode: High-definition TFT color LCD screen display Ventilation mode: IPPV, SIPPV, SIMV, PEEP, MANUAL, SIGH, (IMV, VCV, PCV) Ventilation parameters:</p>		
--	--	--	--

	<p>Tidal volume: 50~1500 ml (20~1500ml)  Rate: 1~99 bpm  SIMV rate: 2~20 bpm  I:E: 2:1~1:8 (4:1~1:8)  Inspiratory trigger pressure: -1.0~2.0Kpa  PEEP Pressure Range: 0~2.0Kpa, 1.0~6.0Kpa  SIGH: 1.5 times the inspiratory time  (70-150 adjustable)  Inspiratory platform: 0~50%</p> <p><i>Monitoring of oxygen concentration:</i>  21%~100%</p> <p><i>Security Alarm System</i>  Oxygen Concentration alarm:  upper limit setting range 21%~100%,  low limit setting range 10%~80%  Airway pressure alarm:  upper limit setting range 0.3~6.0kPa,  low limit setting range 0.2%~5.0%kPa  Per-minute ventilation volume alarm:  upper limit setting range 3.0~30l/min,  low limit setting range 1.0~10L/min  Sustained high-pressure alarm: it will give alarm  when stress have consistently been higher than  2.5 kPa</p> <p><i>Power Alarm:</i>  Power - AC 220±10%  50Hz±1Hz (UPS, Storage battery)</p> <p>with:  Mechanical Arms  End Expiratory CO2 Monitoring  1pc trolley  1 bottle Isoflourane reagents  1 liter sodalime  1 set high pressure gauge  1 pc 50lbs oxygen tank  1 set gas anesthesia mask fo veterinary  Minimum 1 year warranty on parts and services  Training</p>		
5	<p><b>Veterinary Chemistry Analyzer</b>  Sample size: 0.1cc (100 µl)  Sample Type: Lithium heparin, whole blood,  serum or plasma</p>	1 pc	90 Calendar Days

	<p>Test time: 8-12 minutes</p> <p>Quality Control features: Built-in-real-time Quality control (rQC®) system</p> <p>Communication: Bi-directional input output</p> <p>Interfaces: WIFI, USB, Bluetooth, LIS/EMR capable</p> <p>Parameter: 34 tests in 13 panels</p> <p>Consumables: 7.8cm in diameter and 0.68cm thick, single-use, self-contained plastic chemistry reagent, discs. Each disc contains all reagents needed to perform a panel of test on a single sample.</p> <p>Ambient temperature:10~30°C(50-86°F), indoor use</p> <p>Power requirements: 82 VA (Power bank capable)</p> <p>Main supply voltage: 100-240 volts AC, 50-60Hz</p> <p>Operating humidity: 40%-85%</p> <p>Reaction temperature: 37°C=0.2°C</p> <p>Measurement Principles: Spectrophotometry, Turbidimetry</p> <p>Data Input Display: 4.3 inch capacitive touch screen</p> <p>Mode of operation: Continuous</p> <p>Memory capacity: Up to 50,000 patient and quality control results</p> <p>with:</p> <p>Training</p> <p>Minimum 1 year warranty on parts and services</p>		
6	<p><b>Veterinary Patient Monitor</b></p> <p>12.1" large-sized screen, anti dazzle with 4° incline</p> <p>Wide-angle alarms indicator (minimum)</p> <p>3-level visual/audio</p> <p>Multiple displaymodes: OxyCRG, Trend table and Trend graph, etc.</p> <p>Connect with central monitoring system for remote and wireless monitor</p> <p>Advance patiend information management system</p> <p>Large measurement ranges of SpO2, Pulse rate and</p> <p>NIBP technical specialized in veterinary</p> <p>Support Slot interfaces: USB, VGA, Network, WiFi</p>	1 pc	90 Calendar Days
7	<p><b>Veterinary Surgical Table</b></p> <p>Made from Premium Grade Stainless Steel, heat resistant, corrosion protective and rustproof</p>	4 pcs	90 Calendar Days



	<p>Flute Design around table-board, convenient for sewage disposal</p> <p>Guide rails surrounding the table board</p> <p>Lifting and Decending control: Electric System</p> <p>Voltage 220-230V</p> <p>Approx device parameter: table board length and width: 1400mm*600mm table height: 830mm~920mm</p> <p>with: Training Minimum 1 year warranty on parts and services</p>		
8	<p><b>Veterinary Operating Table</b></p> <p>Dropping to within atleast 10" of the floor</p> <p>One piece reinforced tabletop, 304 grade stainless steel</p> <p>V-shaped drain trough in the middle, no-spill fluid collection</p> <p>Scissor action is supported by noise free nylon bearing in specially milled channel</p> <p>Scissor action has with nylon washers</p> <p>Top section made of 3 grid panels, with tiny holes tha allows constant fluid runoff</p> <p>With 4 casters</p> <p>with: Training Minimum 1 year warranty on parts and services</p>	4 pcs	90 Calendar Days
9	<p><b>Binocular Microscope w/ LCD</b></p> <p><i>Viewing Head:</i> 7" LCD (minimum)</p> <p><i>Nosepiece:</i> Ball beating quadruple nosepiece</p> <p><i>Eyepiece:</i> Wide field plane-scope eyepiece WF10X18mm</p> <p><i>Objective:</i> 1. Achromatic 4X, 40X, 40X(S), 100X(S Oil) 2. Plan achromatic 4X, 40X, 40X (S), 100X (S, Oil)</p>	3 pcs	90 Calendar Days

	<p><i>Stage:</i> Double layer mechanical stage</p> <p><i>Condenser:</i> Abbe NA1.25 Condenser with Iris diaphragm &amp; filter, rack &amp; pinion adjustment.</p> <p><i>Illumination:</i> Built-in illumination, halogen lamp, 6V/20W, power supply: 90-230V/3W LED</p> <p><i>with:</i> Training Minimum 1 year warranty on parts and services</p>		
10	<p><b><i>Trinocular Microscope</i></b> Image sensor: 1/2.5" Color 5 megapixel CMOS Effective pixel: 2048x1536 Pixel size 2.2x2.2um LCD Screen size: 9.7" 1024x768 IPS LCD Frame rate: 15 or higher Definition: FULL HD White Balance" Auto and Manual Operating System: Android 4.2.2 or higher Brightness Control: auto and manual Color: RGB Supports: Edge Enhancement, Film and Video, measurement, digital denoiser SD Card Interface: 32G SD 2.0, standard size, non visual design, maximum 32G Interface: Standard HDMI Output Lens: C Usb interface: USB2.0 or USB 3.0</p> <p><i>with:</i> Training Minimum 1 year warranty on parts and services</p>	2 pcs	90 Calendar Days
11	<p><b><i>Autoclave</i></b> Stainless steel Light Indicators for working state Over temperature &amp; over pressure auto-protection Double Scale indication pressure gauge Safe protection water lacking Automatically shut of after sterilization 2 stainless steel sterilizing baskets</p>	2 pcs	90 Calendar Days

	<p>Chamber volume: Maximum 150L</p> <p>Working Pressure: 0.22MPa Working Temperature: 134°C Heat average: <math>\leq \pm 1^\circ\text{C}</math> Timer scope: 0~60min Temperature Scope: 105 ~134°C</p> <p>Power: 2.5KW / AC220V.50Hz (min) 6KW / AC220V.50Hz (max)</p> <p>with: Training Minimum 1 year warranty on parts and services</p>		
12	<p><b>Biological Safety Cabinet</b></p> <p><i>Biological Safety:</i> Personnel protection: impact type sampler: CFU<math>\leq</math>10 narrow slot type sampler: CFU <math>\leq</math> 5 Product protection: all sampling vessels: CFU<math>\leq</math> 5 Cross contamination protection: all double dishes: CFU<math>\leq</math>2</p> <p><i>Working Area:</i> 1000*650*580 (min) 1600*650*580 (max)</p> <p>Overall dimension 1200*750*1950 (min) 1800*750*1950 (max)</p> <p>Specification of air-supply filter 955*545*50*1 (min) 1590*554*50*1 (max)</p> <p>Specification and number of flourecent lamp or UV lamp 20W*2/20W*1 (min) 30W*2/30W*2 (max)</p> <p>illumination <math>\geq</math>650LX</p>	1 pc	90 Calendar Days

	<p>with: Training Minimum 1 year warranty on parts and services</p>		
13	<p><b>Centrifuge (Hematocrit)</b> Speed= 12,000rpm (maximum) R.C.F= 14,648g Timer= 0~15 min. mechanical timer Motor= Universal motor Capacity= 24 x capillary tube (Diam. 1.5x75mm) Standard Accessory=Percentage Reader(Aluminum) Optional Accessory= Disc reader (plastic) Weight (kg)= N.W 9.0 / G.W. 9.5 Overall Dimension= W300xD300xH240mm Power supply= AC 110V 60Hz (220V, 50/60Hz available)</p> <p>with: Training Minimum 1 year warranty on parts and services</p>	1 pc	90 Calendar Days
14	<p><b>Centrifuge(Eppendorf )</b> Digital Display Automatic lid release function Separate short spin key for short centrifugation Rotation speed: 800 - 13400rpm Maximum centrifugal force: 12100G Maximum throughput: 1.5 - 2.0 mL</p> <p>with: Training Minimum 1 year warranty on parts and services</p>	1 pc	90 Calendar Days
15	<p><b>Digital Veterinary 3Channel ECG Machine</b> Lead: 7 Leads: I,II,III.aVR, aVL, aVF V Tilted 5 Ince HD LCD Display Sampling modes: Real Time, Pre-sampling, Periodic sampling, Manual, Auto, Rhythim Support Language: English Storage Format of Report: ZQECG, PDF, PNG, XML HL7, DICOM WAVEFORM, DICOM-IMAGE, DICOM- PDF, GDT Alarm: Electrode Disconnection, Recorder unavailabe, Tachycardia and Bradycardia, low power Peripheral: Keyboard, USB disk, SD Card, scanner, printer, card reader</p>	2 pcs	90 Calendar Days

	<p>Network support: cable and WiFi  Built in Protection against defibrillator  Heart Rate Detection Range: 30-350  Support Species: can, puppy, small dog, large dog etc.</p> <p>Frequency response: 0.01 ~ 310Hz  Time Constraint <math>\geq 3.2s</math>  CMRR: <math>\geq 115dB</math>  Input Circuit: <math>\leq 50\mu A</math>  Input Impedance: (10hz)  Noise level: <math>\leq 12.5\mu Vp-p</math>  Sensitivity valve: <math>20\mu V</math>  Patient Leakage Current: <math>\leq 10\mu A</math>  Callibration Voltage: <math>1mV \pm 2\%</math>  Polarization voltage: <math>\pm 910mV</math>  A/D shift: 24bits  Sampling rate 20000Hz  Sensitivity: 2.5 - 40 and Auto  Paper speed: 5 - 50 mm/s  Recording Mode: thermal array printer  8dot/mm (vertical)  40 dot/mm (horizontal)</p> <p>Paper Type: Z-fold paper or roll paper  Paper size: 80mm*70mm-14m or 80mm*20m</p> <p>with:  Training and installation  Minimum 1 year warranty on parts and services</p>		
16	<p><b>Chest Type Freezer</b>  25.0 cu.ft. Two Door Chest Freezer  Net Volume (L): 719  Freezer Volume: 719  Rated Power Input (W): 375  Power Consumption (kwh/24hr): 3.05  Freezing Capacity (kg/24hr): 49  Rated Voltage (V): 230  Rated Frequency (Hz): 60  Dual Temperature Thermostat  Energy Efficient  Multi-level Trapezoid Door Insulation  Eco-Friendly Refrigerant and Foaming Material  Curved Interior Corners  Adjustable Temperature Control  Deep Quick Freezing</p>	2 pcs	90 Calendar Days

	<p>Overlapped Jointing Interior Textured Aluminum Walls</p> <p>Convenient Caster Wheels for Mobility</p> <p>Counter Balance Lid</p> <p>Micro Biological Technology</p> <p>Super Cooling Retention up to 100 Hours after power failure</p> <p>with:</p> <p>Training</p> <p>Minimum 1 year warranty on parts and services</p>		
17	<p><b>Single dome LED operating lamp</b></p> <p>Max Central illuminance at 4500k (LUX): 160,000</p> <p>Illuminance Measured Adjustable (LUX): 6,000 - 160,000</p> <p>Color Temperature (K): 3500, 4000, 45000</p> <p>CRI (RA): <math>\geq 95</math></p> <p>Light field, d10 (mm): <math>160 \pm 15</math></p> <p>Light field, d50 (mm): <math>80 \pm 15</math></p> <p>Light field diameter: 200-280</p> <p>Depth of illumination (L1 + L2) (cm): 130</p> <p>Heat to light ratio (mW/m<sup>2</sup>-lx): 3.3</p> <p>Temperature increase in head area (C) : <math>\leq 2</math></p> <p>Light Sources (pcs): 72 High Performance LED</p> <p>Life time light source (h): 50000</p> <p>Max. Power Consumption of all light sources (W): 72</p> <p>Power Supply : 24V AC/DC, 100V - 240 V AC</p> <p>with:</p> <p>Training and installation</p> <p>Minimum 1 year warranty on parts and services</p>	4 pcs	90 Calendar Days
18	<p><b>Necropsy Table</b></p> <p>304 stainless steel</p> <p>Heliarc Welded seams and joints, ground and polish to match adjoining surfaces</p> <p>Radii steel base frame with adjustable leveling feet</p> <p>Mixing faucet with gooseneck spout and wrist table handles</p> <p>Full length perforated grid supports</p> <p>rapid and positive drainage</p> <p>with:</p> <p>Training and installation</p> <p>Minimum 1 year warranty on parts and services</p>	2 pcs	90 Calendar Days

19	<b>Veterinary Flatform Scale</b> material: 304 stainless steel Aproximate size: 1200*600*65mm Loading capacity: up to 150kg  with: Training Minimum 1 year warranty on parts and services	1 pc	90 Calendar Days
----	--	------	------------------

\_\_\_\_\_

*[signature]*

\_\_\_\_\_

*[in the capacity of]*

Duly authorized to sign Bid for and on behalf of \_\_\_\_\_

## ***Section VII. Technical Specifications***

### **Notes for Preparing the Technical Specifications**

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

#### **Sample Clause: Equivalency of Standards and Codes**

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words “*or at least equivalent.*” References to brand names cannot be used when the funding source is the GOP.



Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

# Technical Specifications

Item	Specification	Statement of Compliance
		<p><i>[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>
1	<p><b>Digital Veterinary X-Ray Machine</b></p> <p><i>Power:</i> 32kW (can take clear images for the body no more than 50cm thickness)</p> <p><i>Power Supply:</i> Single Phase 220V 50/60HZ (wire diameter &gt; 4mm<sup>2</sup> internal resistance &lt;0.5Ω)</p> <p>mA: 10~400mA</p> <p>mAS: 1~400mAS, Stepping by R'10</p> <p>KV: 40~124kV, stepping by 1kV</p> <p>Exposure time: 0.003~6.3S adjustment: increased / reduced by 1mS each time</p> <p>X-ray tube: Toshiba 7239 / 7242 (equivalent or higher)</p> <p>Anode rotating speed / Anode heat Capacity: 2800prm / 140kHU</p> <p>Generator Frequency: 400kHz</p> <p><i>Radiography table (approximate size W*L cm)</i> Width 70cm, Length 140cm</p> <p><i>Flat Panel Detector</i></p>	

	<p>Imaging Area 17*17 inches (minimum)  Pixel Size 140um  A/D Conversion 16bits  Spatial Resolution 3.6lp/mm</p> <p><i>Software:</i>  Professional veterinary software</p> <p><i>Computer configuration (minimum specs)</i>  Intel i5 Processor  8gb memory  2g discrete graphics card  128gb solid state drive  1TB Hard Disk Drive  PCI-E and Ethernet Dual Gigabit Network cable interface  R232 interface  22.5: Small dot pitch monitor  OS: Windows 10 (or higher)</p> <p>with:  2 pcs lab gown  2 pcs gonoidal shield  2 pcs thyroid shield  1 pc lead barrier  Installation of lead sheet on xray facility</p> <p>The equipment must be already at least 5 years in the market  with minimum 2 years warranty on parts and services  with training</p>	
2	<p><b>3 Differential fully auto Veterinary hematology analyzer</b></p> <p><i>Measuring Principles</i>  Impedance method for cells counting  Cyanide free colorimetric method for HGB measurement</p> <p><i>Measuring Channels</i>  Double channel for counting</p> <p><i>Throughput</i>  From beginning of a test to completion of the printout: ≤ 60 secondes</p> <p><i>Counting Modes</i></p>	

	<p>Whole Blode, Pre-Diluted Blood</p> <p><i>Sample Volume</i>  Whole Blode: ≤14 μL  Pre-diluted Blood: ≤20 μL</p> <p><i>Parameters &amp; Histograms</i>  21 parameters and histograms:  WBC, Lymph#, Mid#, Gran#, Lymph%, Mid%,  Gran%, RBC, HGB, MCV, MCH, MCHC, RDW-CV  RDW-SD, HCT, PLT, MPV, PDW, PCT, P-LCR,  P-LCC, WBC Histogram, PLT histogram</p> <p><i>Reference Value Settings</i>  Preset five sets of reference Values: Man,  Woman  Child, Baby, and general</p> <p><i>Alarm System</i>  Multiple Alarms of running status including blank  counting abnormal, reagents, empty, waste full,  counting hole clogged, counting area leak or  bubble  recorder abnormal, external printer abnormal and  circuit abnormal, etc</p> <p><i>Printout:</i>  English print report, optional report formats</p> <p><i>Storage:</i>  Can store more than 10,000 sample results,  including parameters, histograms, and patient  information. Support multiple conditions  combination  query</p> <p><i>Communication:</i>  Open communication protocol. Support  connection to LIS</p> <p><i>Data Import and Export:</i>  Import or export data via USB port</p> <p><i>Quality Control System:</i>  Include 9QC files, automatically draw quality  control chart, provide the average, SD, CV</p>	
--	--	--

	<p><i>Calibration System:</i> Support manual and automatic calibration</p> <p><i>Software Upgrading:</i> Upgrading software via USB port</p> <p><i>Display &amp; Touch Screen:</i> 10.4 inch true color TFT LCD and touch screen</p> <p><i>Printer:</i> Built-in patented structure thermal printer, paper 80mm wide, easy to load paper. &lt;5s printing</p> <p><i>Data ports:</i> One network port, one RS-232 port, four USB ports</p> <p><i>Optional External Devices With USB port:</i> Standard 101 keyboard, mouse, barcode scanner and multiple printers</p> <p><i>Power:</i> 220V, 50Hz Input Power: &lt;150VA</p>	
3	<p><b><i>Portable Doppler Ultrasound</i></b></p> <p><i>Gray scale: 256</i> <i>Color scale: 256</i></p> <p><i>Menu interface operation, language interface:</i> English</p> <p><i>Monitor:</i> 10.4" flicker free high resolution medical color LED (minimum)</p> <p><i>Adapter rating:</i> 100-240V~1/2-0.6A</p> <p><i>Frequency:</i> 50-60Hz</p> <p><i>Output of adapter:</i> DC12.8V 3.0A</p> <p>with: 1 pc Trolley</p>	

	<p>1 pc convex probe  1 pc linear probe  1 pc transvaginal probe  Training  Minimum 1 year warranty on parts and Services</p>	
4	<p><b><i>Veterinary Mobile Anesthesia Machine</i></b>  <i>Main body:</i>  High-strength engineering plastic rack  Light weight  corrosion resistant</p> <p><i>Scope of application:</i>  adult, child</p> <p><i>Gas source:</i>  O<sub>2</sub>: 0.1~1.0K/min 1.1~10L/min, N<sub>2</sub>O: 0.1~1.0L/min  1.1~10L/min</p> <p><i>Flow meter</i>  O<sub>2</sub>: 0.1~1.0L/min 1.1~10L/min  N<sub>2</sub>O: 0.1~1.0L/min 1.1~L/min</p> <p><i>O<sub>2</sub>, N<sub>2</sub>O linkage and N<sub>2</sub>O Stopper:</i>  When using nitrous oxide, oxygen concentration  &gt;25%; When the oxygen pressure&lt;0.2Kpa,  the flow of nitrous oxide would be cut off.</p> <p><i>Flow rate of rapid oxygen supply:</i>  25~75L/min</p> <p><i>Low oxygen pressure alarm:</i>  There will be sound alarm when the oxygen  pressure  &lt;0.2Mpa</p> <p><i>Vaporizer:</i>  It has the function of automatic compensation  based  on pressure, temperature, and flow rate.  The regulation range of evaporator concentration  is 0~5 vol%. Among Halothane, Enflurane,  Isoflurane and Sevoflurane, one can be chosen for  application as required by the customer.</p> <p><i>Respiratory circuit:</i>  Working mode: all-close, semi-close, semi-open  releasing pressure: 0.5~7kPa</p>	

	<p><i>Respiratory Elbows:</i> bellows for adults, bellows for children tidal volume range: 0~1,500 ml</p> <p><i>Ventilator:</i> Display mode: High-definition TFT color LCD screen display Ventilation mode: IPPV, SIPPV, SIMV, PEEP, MANUAL, SIGH, (IMV, VCV, PCV) Ventilation parameters: Tidal volume: 50~1500 ml (20~1500ml) Rate: 1~99 bpm SIMV rate: 2~20 bpm I:E: 2:1~1:8 (4:1~1:8) Inspiratory trigger pressure: -1.0~2.0Kpa PEEP Pressure Range: 0~2.0Kpa, 1.0~6.0Kpa SIGH: 1.5 times the inspiratory time (70-150 adjustable) Inspiratory platform: 0~50%</p> <p><i>Monitoring of oxygen concentration:</i> 21%~100%</p> <p><i>Security Alarm System</i> Oxygen Concentration alarm: upper limit setting range 21%~100%, low limit setting range 10%~80% Airway pressure alarm: upper limit setting range 0.3~6.0kPa, low limit setting range 0.2%~5.0%kPa Per-minute ventilation volume alarm: upper limit setting range 3.0~30l/min, low limit setting range 1.0~10L/min Sustained high-pressure alarm: it will give alarm when stress have consistently been higher than 2.5 kPa</p> <p><i>Power Alarm:</i> Power - AC 220±10% 50Hz±1Hz (UPS, Storage battery)</p> <p>with: Mechanical Arms End Expiratory CO2 Monitoring 1pc trolley</p>	
--	--	--

	<p>1 bottle Isoflourane reagents  1 liter sodalime  1 set high pressure gauge  1 pc 50lbs oxygen tank  1 set gas anesthesia mask fo veterinary  Minimum 1 year warranty on parts and services  Training</p>	
5	<p><b>Veterinary Chemistry Analyzer</b>  Sample size: 0.1cc (100 µl)  Sample Type: Lithium heparin, whole blood, serum or plasma  Test time: 8-12 minutes  Quality Control features: Built-in-real-time Quality control (rQC®) system  Communication: Bi-directional input output  Interfaces: WIFI, USB, Bluetooth, LIS/EMR capable  Parameter: 34 tests in 13 panels  Consumables: 7.8cm in diameter and 0.68cm thick, single-use, self-contained plastic chemistry reagent, discs. Each disc contains all reagents needed to perform a panel of test on a single sample.</p> <p>Ambient temperature:10~30°C(50-86°F), indoor use  Power requirements: 82 VA (Power bank capable)  Main supply voltage: 100-240 volts AC, 50-60Hz  Operating humidity: 40%-85%  Reaction temperature: 37°C±0.2°C  Measurement Principles: Spectrophotometry, Turbidimetry  Data Input Display: 4.3 inch capacitive touch screen  Mode of operation: Continuous  Memory capacity: Up to 50,000 patient and quality control results</p> <p>with:  Training  Minimum 1 year warranty on parts and services</p>	
6	<p><b>Veterinary Patient Monitor</b>  12.1" large-sized screen, anti dazzle with 4° incline  Wide-angle alarms indicator (minimum)  3-level visual/audio</p>	



	<p>Multiple displaymodes: OxyCRG, Trend table and Trend graph, etc.</p> <p>Connect with central monitoring system for remote and wireless monitor</p> <p>Advance patiend information management system</p> <p>Large measurement ranges of SpO2, Pulse rate and</p> <p>NIBP technical specialized in veterinary</p> <p>Support Slot interfaces: USB, VGA, Network, WiFi</p>	
7	<p><b><i>Veterinary Surgical Table</i></b></p> <p>Made from Premium Grade Stainless Steel, heat resistant, corrosion protective and rustproof</p> <p>Flute Design around table-board, convenient for sewage disposal</p> <p>Guide rails surrounding the table board</p> <p>Lifting and Decending control: Electric System</p> <p>Voltage 220-230V</p> <p>Approx device parameter: table board length and width: 1400mm*600mm table height: 830mm~920mm</p> <p>with: Training Minimum 1 year warranty on parts and services</p>	
8	<p><b><i>Veterinary Operating Table</i></b></p> <p>Dropping to within atleast 10" of the floor</p> <p>One piece reinforced tabletop, 304 grade stainless steel</p> <p>V-shaped drain trough in the middle, no-spill fluid collection</p> <p>Scissor action is supported by noise free nylon bearing in specially milled channel</p> <p>Scissor action has with nylon washers</p> <p>Top section made of 3 grid panels, with tiny holes tha allows constant fluid runoff</p> <p>With 4 casters</p> <p>with: Training Minimum 1 year warranty on parts and services</p>	
9	<p><b><i>Binocular Microscope w/ LCD</i></b></p> <p><i>Viewing Head:</i></p>	

	<p>7" LCD (minimum)</p> <p><i>Nosepiece:</i> Ball beating quadruple nosepiece</p> <p><i>Eyepiece:</i> Wide field plane-scope eyepiece WF10X18mm</p> <p><i>Objective:</i> 1. Achromatic 4X, 40X, 40X(S), 100X(S Oil) 2. Plan achromatic 4X, 40X, 40X (S), 100X (S, Oil)</p> <p><i>Stage:</i> Double layer mechanical stage</p> <p><i>Condenser:</i> Abbe NA1.25 Condenser with Iris diaphragm &amp; filter, rack &amp; piiiion adjustment.</p> <p><i>Illumination:</i> Built-in illumination, halogen lamp, 6V/20W, power supply: 90-230V/3W LED</p> <p>with: Training Minimum 1 year warranty on parts and services</p>	
10	<p><b><i>Trinocular Microscope</i></b> Image sensor: 1/2.5" Color 5 megapixel CMOS Effective pixel: 2048x1536 Pixel size 2.2x2.2um LCD Screen size: 9.7" 1024x768 IPS LCD Frame rate: 15 or higher Definition: FULL HD White Blance" Auto and Manual Operating System: Android 4.2.2 or higher Brightness Control: auto and manual Color: RGB Supports: Edge Enhancement, Film and Video, measurement, digital denoiser SD Card Interface: 32G SD 2.0, standard size, non visual design, maximum 32G Interface: Standard HDMI Output Lens: C Usb interface: USB2.0 or USB 3.0</p> <p>with:</p>	

	<p>Training</p> <p>Minimum 1 year warranty on parts and services</p>	
11	<p><b>Autoclave</b></p> <p>Stainless steel</p> <p>Light Indicators for working state</p> <p>Over temperature &amp; over pressure auto-protection</p> <p>Double Scale indication pressure gauge</p> <p>Safe protection water lacking</p> <p>Automatically shut of after sterilization</p> <p>2 stainless steel sterilizing baskets</p> <p>Chamber volume: Maximum 150L</p> <p>Working Pressure: 0.22MPa Working Temperature: 134°C Heat average: <math>\leq \pm 1^\circ\text{C}</math> Timer scope: 0~60min Temperature Scope: 105 ~134°C</p> <p>Power: 2.5KW / AC220V.50Hz (min) 6KW / AC220V.50Hz (max)</p> <p>with: Training</p> <p>Minimum 1 year warranty on parts and services</p>	
12	<p><b>Biological Safety Cabinet</b></p> <p><i>Biological Safety:</i></p> <p>Personnel protection: impact type sampler: CFU<math>\leq</math>10 narrow slot type sampler: CFU <math>\leq</math> 5</p> <p>Product protection: all sampling vessels: CFU<math>\leq</math> 5</p> <p>Cross contamination protection: all double dishes: CFU<math>\leq</math>2</p> <p><i>Working Area:</i> 1000*650*580 (min) 1600*650*580 (max)</p> <p>Overall dimension 1200*750*1950 (min) 1800*750*1950 (max)</p> <p>Specification of air-supply filter</p>	

	<p>955*545*50*1 (min) 1590*554*50*1 (max)</p> <p>Specification and number of flourecent lamp or UV lamp 20W*2/20W*1 (min) 30W*2/30W*2 (max)</p> <p>illumination ≥650LX</p> <p>with: Training Minimum 1 year warranty on parts and services</p>	
13	<p><b>Centrifuge (Hematocrit)</b> Speed= 12,000rpm (maximum) R.C.F= 14,648g Timer= 0~15 min. mechanical timer Motor= Universal motor Capacity= 24 x capillary tube (Diam. 1.5x75mm) Standard Accessory=Percentage Reader(Aluminum) Optional Accessory= Disc reader (plastic) Weight (kg)= N.W 9.0 / G.W. 9.5 Overall Dimension= W300xD300xH240mm Power supply= AC 110V 60Hz (220V, 50/60Hz available)</p> <p>with: Training Minimum 1 year warranty on parts and services</p>	
14	<p><b>Centrifuge(Eppendorf )</b> Digital Display Automatic lid release function Separate short spin key for short centrifugation Rotation speed: 800 - 13400rpm Maximum centrifugal force: 12100G Maximum throughput: 1.5 - 2.0 mL</p> <p>with: Training Minimum 1 year warranty on parts and services</p>	
15	<p><b>Digital Veterinary 3Channel ECG Machine</b> Lead: 7 Leads: I,II,III.aVR, aVL, aVF V Tilted 5 Ince HD LCD Display Sampling modes: Real Time, Pre-sampling, Periodic</p>	

	<p>sampling, Manual, Auto, Rhythim</p> <p>Support Laguage: English</p> <p>Storage Format of Report: ZQECG, PDF, PNG, XML</p> <p>HL7, DICOM WAVEFORM, DICOM-IMAGE, DICOM-PDF, GDT</p> <p>Alarm: Electrode Disconnection, Recorder unavailabe, Tachycardia and Bradycardia, low power</p> <p>Peripheral: Keyboard, USB disk, SD Card, scanner, printer, card reader</p> <p>Network support: cable and WiFi</p> <p>Built in Protection against defibrillator</p> <p>Heart Rate Detection Range: 30-350</p> <p>Support Species: can, puppy, small dog, large dog etc.</p> <p>Frequency response: 0.01 ~ 310Hz</p> <p>Time Constraint <math>\geq 3.2s</math></p> <p>CMRR: <math>\geq 115dB</math></p> <p>Input Circuit: <math>\leq 50\mu A</math></p> <p>Inpuyt Impendance: (10hz)</p> <p>Noise level: <math>\leq 12.5\mu Vp\sim p</math></p> <p>Sensitivity valve: <math>20\mu V</math></p> <p>Patient Leakage Current: <math>\leq 10\mu A</math></p> <p>Callibration Voltage: <math>1mV \pm 2\%</math></p> <p>Polarization voltage: <math>\pm 910mV</math></p> <p>A/D shift: 24bits</p> <p>Sampling rate 20000Hz</p> <p>Sensitivity: 2.5 - 40 and Auto</p> <p>Paper speed: 5 - 50 mm/s</p> <p>Recording Mode: thermal array printer</p> <p>8dot/mm (vertical)</p> <p>40 dot/mm (horizontal)</p> <p>Paper Type: Z-fold paper or roll paper</p> <p>Paper size: 80mm*70mm-14m or 80mm*20m</p> <p>with:</p> <p>Training and installation</p> <p>Minimum 1 year warranty on parts and services</p>	
16	<p><b>Chest Type Freezer</b></p> <p>25.0 cu.ft. Two Door Chest Freezer</p> <p>Net Volume (L): 719</p> <p>Freezer Volume: 719</p> <p>Rated Power Input (W): 375</p>	

	<p>Power Consumption (kwh/24hr): 3.05  Freezing Capacity (kg/24hr): 49  Rated Voltage (V): 230  Rated Frequency (Hz): 60  Dual Temperature Thermostat  Energy Efficient  Multi-level Trapezoid Door Insulation  Eco-Friendly Refrigerant and Foaming Material  Curved Interior Corners  Adjustable Temperature Control  Deep Quick Freezing  Overlapped Jointing Interior Textured Aluminum Walls  Convenient Caster Wheels for Mobility  Counter Balance Lid  Micro Biological Technology  Super Cooling Retention up to 100 Hours after power failure</p> <p>with:  Training  Minimum 1 year warranty on parts and services</p>	
17	<p><b>Single dome LED operating lamp</b>  Max Central illuminance at 4500k (LUX): 160,000  Illuminance Measured Adjustable (LUX):  6,000 - 160,000  Color Temperature (K): 3500, 4000, 45000  CRI (RA): ≥ 95  Light field, d10 (mm): 160 ± 15  Light field, d50 (mm): 80 ± 15  Light field diameter: 200-280  Depth of illuminatio (L1 + L2) (cm): 130  Heat to light ratio (mW/m2-lx): 3.3  Temperature increase in head area (C) : ≤ 2  Light Sources (pcs): 72 High Performance LED  Life time light source (h): 50000  Max. Power Consumption of all light sources (W):  72  Power Supply : 24V AC/DC, 100V - 240 V AC</p> <p>with:  Training and installation  Minimum 1 year warranty on parts and services</p>	
18	<p><b>Necropsy Table</b>  304 stainless steel  Heliarc Welded seams and joints, ground and polish</p>	

	<p>to amatch adjoining surfaces  Raddi steel base frame with adjustable leveling feet  Mixing faucet with gooseneck spout and wrist table handles  Full length perforated grid supports rapid and positive drainage</p> <p>with:  Training and installation  Minimum 1 year warranty on parts and services</p>	
19	<p><b>Veterinary Platform Scale</b>  material: 304 stainless steel  Aproximate size: 1200*600*65mm  Loading capacity: up to 150kg</p> <p>with:  Training  Minimum 1 year warranty on parts and services</p>	
<hr/> <p><i>[signature]</i> <span style="margin-left: 200px;"><i>[in the capacity of]</i></span></p> <p>Duly authorized to sign Bid for and on behalf of _____</p>		

## ***Section VIII. Checklist of Technical and Financial Documents***

### **Notes on the Checklist of Technical and Financial Documents**

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.



# Checklist of Technical and Financial Documents

## I. TECHNICAL COMPONENT ENVELOPE

### *Class “A” Documents*

#### Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages); **or**
- (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document, **and**
- (c) Mayor’s or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas; **and**
- (d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

#### Technical Documents

- (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (g) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- (h) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; **or**  
Original copy of Notarized Bid Securing Declaration; **and**
- (i) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (j) Original duly signed Omnibus Sworn Statement (OSS); **and** if applicable, Original Notarized Secretary’s Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

#### Financial Documents

- (k) The Supplier’s audited financial statements, showing, among others, the Supplier’s total and current assets and liabilities, stamped “received” by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**
- (l) The prospective bidder’s computation of Net Financial Contracting

Capacity (NFCC);

**OR**

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

***Class “B” Documents***

- (m) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

**OR**

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

**Other documentary requirements under RA No. 9184 (as applicable)**

- (n) *[For foreign bidders claiming by reason of their country’s extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (o) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

**25 FINANCIAL COMPONENT ENVELOPE**

- (a) Original of duly signed and accomplished Financial Bid Form; **and**
- (b) Original of duly signed and accomplished Price Schedule(s).

# Bid Form

---

Date: \_\_\_\_\_  
Project Identification No. 2023-01G

To: **BULACAN AGRICULTURAL STATE COLLEGE**  
*Brgy. Pinaod, San Ildefonso, Bulacan 3010*

Gentlemen and/or Ladies:

Having examined the Bidding Documents including Bid Bulletin Numbers \_\_\_\_\_  
[insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to supply, delivery and installation of laboratory equipment for the new comprehensive science laboratory building in conformity with the said Bidding Documents for the sum of \_\_\_\_\_ (PhP \_\_\_\_\_)  
[total Bid amount in words and figures] or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

We undertake, if our Bid is accepted, to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

If our Bid is accepted, we undertake to provide a performance security in the form, amounts, and within the times specified in the Bidding Documents.

We agree to abide by this Bid for the Bid Validity Period specified in the bidding documents provisions and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:<sup>3</sup>

Name and address of agent	Amount and Currency	Purpose of Commission or gratuity
_____	_____	_____
_____	_____	_____
_____	_____	_____

(if none, state "None")

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

---

We certify/confirm that we comply with the eligibility requirements as per the Bidding Documents.

We likewise certify/confirm that the undersigned, *[for sole proprietorships, insert: as the owner and sole proprietor or authorized representative of Name of Bidder, has the full power and authority to participate, submit the bid, and to sign and execute the ensuing contract, on the latter's behalf for the Name of Project of the Name of the Procuring Entity]* *[for partnerships, corporations, cooperatives, or joint ventures, insert: is granted full power and authority by the Name of Bidder, to participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for Name of Project of the Name of the Procuring Entity].*

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Dated this \_\_\_\_\_ day of \_\_\_\_\_ 2022.

\_\_\_\_\_  
*[Signature]*

\_\_\_\_\_  
*[in the capacity of]*

Duly authorized to sign Bid for and on behalf of \_\_\_\_\_

**For Goods Offered From Within the Philippines**

Name of Bidder \_\_\_\_\_ Invitation to Bid Number 2023-01G Page \_\_\_\_ of \_\_\_\_.

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
1	<p><b>Digital Veterinary X-Ray Machine</b></p> <p><i>Power:</i> 32kW (can take clear images for the body no more than 50cm thickness)</p> <p><i>Power Supply:</i> Single Phase 220V 50/60HZ (wire diameter &gt; 4mm<sup>2</sup> internal resistance &lt;0.5Ω)</p> <p>mA: 10~400mA</p> <p>mAS: 1~400mAS, Stepping by R'10</p> <p>KV: 40~124kV, stepping by 1kV</p> <p>Exposure time: 0.003~6.3S adjustment: increased / reduced by 1mS each time</p> <p>X-ray tube: Toshiba 7239 / 7242 (equivalent or higher)</p>		1						

	<p>Anode rotating speed / Anode heat Capacity: 2800prm / 140kHU</p> <p>Generator Frequency: 400kHz</p> <p><i>Radiography table (aproximate size W*L cm)</i> Width 70cm, Length 140cm</p> <p><i>Flat Panel Detector</i> Imaging Area 17*17 inches (minimum) Pixel Size 140um A/D Conversion 16bits Spatial Resolution 3.6lp/mm</p> <p><i>Software:</i> Professional veterinary software</p> <p><i>Computer configuration (minimum specs)</i> Intel i5 Processor 8gb memory 2g discrete graphics card 128gb solid state drive 1TB Hard Disk Drive PCI-E and Ethernet Dual Gigabit Network cable interface R232 interface 22.5: Small dot pitch monitor OS: Windows 10 (or higher)</p> <p>with:</p>								
--	--	--	--	--	--	--	--	--	--

	<p>2 pcs lab gown  2 pcs gonoidal shield  2 pcs thyroid shield  1 pc lead barrier  Installation of lead sheet on xray facility</p> <p>The equipment must be already at least 5 years in the market with minimum 2 years warranty on parts and services with training</p>								
2	<p><b>3 Differential fully auto Veterinary hematology analyzer</b></p> <p><i>Measuring Principles</i>  Impedance method for cells counting  Cyanide free colorimetric method for HGB measurement</p> <p><i>Measuring Channels</i>  Double channel for counting</p> <p><i>Throughput</i>  From beginning of a test to completion of the printout: ≤ 60 secondes</p> <p><i>Counting Modes</i>  Whole Blode, Pre-Diluted Blood</p> <p><i>Sample Volume</i>  Whole Blode: ≤14 µL</p>		1						

	<p>Pre-diluted Blood: ≤20 µL</p> <p><i>Parameters &amp; Histograms</i>  21 parameters and histograms:  WBC, Lymph#, Mid#, Gran#, Lymph%, Mid%,  Gran%, RBC, HGB, MCV, MCH, MCHC, RDW-CV  RDW-SD, HCT, PLT, MPV, PDW, PCT, P-LCR,  P-LCC, WBC Histogram, PLT histogram</p> <p><i>Reference Value Settings</i>  Preset five sets of reference Values: Man,  Woman  Child, Baby, and general</p> <p><i>Alarm System</i>  Multiple Alarms of running status including blank  counting abnormal, reagents, empty, waste full,  counting hole clogged, counting area leak or  bubble  recorder abnormal, external printer abnormal and  circuit abnormal, etc</p> <p><i>Printout:</i>  English print report, optional report formats</p> <p><i>Storage:</i>  Can store more than 10,000 sample results,  including parameters, histograms, and patient  information. Support multiple conditions  combination  query</p>								
--	--	--	--	--	--	--	--	--	--



	<p><i>Communication:</i> Open communication protocol. Support connection to LIS</p> <p><i>Data Import and Export:</i> Import or export data via USB port</p> <p><i>Quality Control System:</i> Include 9QC files, automatically draw quality control chart, provide the average, SD, CV</p> <p><i>Calibration System:</i> Support manual and automatic calibration</p> <p><i>Software Upgrading:</i> Upgrading software via USB port</p> <p><i>Display &amp; Touch Screen:</i> 10.4 inch true color TFT LCD and touch screen</p> <p><i>Printer:</i> Built-in patented structure thermal printer, paper 80mm wide, easy to load paper. &lt;5s printing</p> <p><i>Data ports:</i> One network port, one RS-232 port, four USB ports</p> <p><i>Optional External Devices With USB port:</i></p>								
--	--	--	--	--	--	--	--	--	--

	<p>Standard 101 keyboard, mouse, barcode scanner and multiple printers</p> <p><i>Power:</i> 220V, 50Hz Input Power: &lt;150VA</p>								
3	<p><b><i>Portable Doppler Ultrasound</i></b></p> <p><i>Gray scale: 256</i></p> <p><i>Color scale: 256</i></p> <p><i>Menu interface operation, language interface:</i> English</p> <p><i>Monitor:</i> 10.4" flicker free high resolution medical color LED (minimum)</p> <p><i>Adapter rating:</i> 100-240V~1/2-0.6A</p> <p><i>Frequency:</i> 50-60Hz</p> <p><i>Output of adapter:</i> DC12.8V 3.0A</p> <p>with: 1 pc Trolley 1 pc convex probe</p>		1						

	<p>1 pc linear probe  1 pc transvaginal probe  Training  Minimum 1 year warranty on parts and Services</p>								
4	<p><b>Veterinary Mobile Anesthesia Machine</b>  <i>Main body:</i>  High-strength engineering plastic rack  Light weight  corrosion resistant</p> <p><i>Scope of application:</i>  adult, child</p> <p><i>Gas source:</i>  O<sub>2</sub>: 0.1~1.0K/min 1.1~10L/min, N<sub>2</sub>O: 0.1~1.0L/min  1.1~10L/min</p> <p><i>Flow meter</i>  O<sub>2</sub>: 0.1~1.0L/min 1.1~10L/min  N<sub>2</sub>O: 0.1~1.0L/min 1.1~L/min</p> <p><i>O<sub>2</sub>, N<sub>2</sub>O linkage and N<sub>2</sub>O Stopper:</i>  When using nitrous oxide, oxygen concentration  &gt;25%; When the oxygen pressure&lt;0.2Kpa,  the flow of nitrous oxide would be cut off.</p> <p><i>Flow rate of rapid oxygen supply:</i>  25~75L/min</p>		1						

	<p><i>Low oxygen pressure alarm:</i> There will be sound alarm when the oxygen pressure &lt;0.2Mpa</p> <p><i>Vaporizer:</i> It has the function of automatic compensation based on pressure, temperature, and flow rate. The regulation range of evaporator concentration is 0~5 vol%. Among Halothane, Enflurane, Isoflurane and Sevoflurane, one can be chosen for application as required by the customer.</p> <p><i>Respiratory circuit:</i> Working mode: all-close, semi-close, semi-open releasing pressure: 0.5~7kPa</p> <p><i>Respiratory Elbows:</i> bellows for adults, bellows for children tidal volume range: 0~1,500 ml</p> <p><i>Ventilator:</i> Display mode: High-definition TFT color LCD screen display Ventilation mode: IPPV, SIPPV, SIMV, PEEP, MANUAL, SIGH, (IMV, VCV, PCV) Ventilation parameters: Tidal volume: 50~1500 ml (20~1500ml) Rate: 1~99 bpm</p>								
--	--	--	--	--	--	--	--	--	--

	<p>SIMV rate: 2~20 bpm  I:E: 2:1~1:8 (4:1~1:8)  Inspiratory trigger pressure: -1.0~2.0Kpa  PEEP Pressure Range: 0~2.0Kpa, 1.0~6.0Kpa  SIGH: 1.5 times the inspiratory time  (70-150 adjustable)  Inspiratory platform: 0~50%</p> <p><i>Monitoring of oxygen concentration:</i>  21%~100%</p> <p><i>Security Alarm System</i>  Oxygen Concentration alarm:  upper limit setting range 21%~100%,  low limit setting range 10%~80%  Airway pressure alarm:  upper limit setting range 0.3~6.0kPa,  low limit setting range 0.2%~5.0%kPa  Per-minute ventilation volume alarm:  upper limit setting range 3.0~30l/min,  low limit setting range 1.0~10L/min  Sustained high-pressure alarm: it will give alarm  when stress have consistently been higher than  2.5 kPa</p> <p><i>Power Alarm:</i>  Power - AC 220±10%  50Hz±1Hz (UPS, Storage battery)</p> <p>with:</p>										
--	--	--	--	--	--	--	--	--	--	--	--

	<p>Mechanical Arms  End Expiratory CO2 Monitoring  1pc trolley  1 bottle Isoflourane reagents  1 liter sodalime  1 set high pressure gauge  1 pc 50lbs oxygen tank  1 set gas anesthesia mask fo veterinary  Minimum 1 year warranty on parts and services  Training</p>								
5	<p><b>Veterinary Chemistry Analyzer</b>  Sample size: 0.1cc (100 µl)  Sample Type: Lithium heparin, whole blood, serum or plasma  Test time: 8-12 minutes  Quality Control features: Built-in-real-time  Quality control (rQC®) system  Communication: Bi-directional input output  Interfaces: WIFI, USB, Bluetooth, LIS/EMR capable  Parameter: 34 tests in 13 panels  Consumables: 7.8cm in diameter and 0.68cm thick,  single-use, self-contained plastic chemistry reagent, discs. Each disc contains all reagents needed to perform a panel of test on a single sample.   Ambient temperature:10~30°C(50-86°F), indoor use  Power requirements: 82 VA (Power bank</p>		1						

	<p>capable)</p> <p>Main supply voltage: 100-240 volts AC, 50-60Hz</p> <p>Operating humidity: 40%-85%</p> <p>Reaction temperature: 37°C=0.2°C</p> <p>Measurement Principles: Spectrophotometry, Turbidimetry</p> <p>Data Input Display: 4.3 inch capacitive touch screen</p> <p>Mode of operation: Continuous</p> <p>Memory capacity: Up to 50,000 patient and quality control results</p> <p>with:</p> <p>Training</p> <p>Minimum 1 year warranty on parts and services</p>								
<b>6</b>	<p><b><i>Veterinary Patient Monitor</i></b></p> <p>12.1" large-sized screen, anti dazzle with 4° incline</p> <p>Wide-angle alarms indicator (minimum)</p> <p>3-level visual/audio</p> <p>Multiple displaymodes: OxyCRG, Trend table and Trend graph, etc.</p> <p>Connect with central monitoring system for remote and wireless monitor</p> <p>Advance patiend information management system</p> <p>Large measurement ranges of SpO2, Pulse rate and</p> <p>NIBP technical specialized in veterinary</p> <p>Support Slot interfaces: USB, VGA, Network, WiFi</p>		1						
<b>7</b>	<p><b><i>Veterinary Surgical Table</i></b></p>		4						

	<p>Made from Premium Grade Stainless Steel, heat resistant, corrosion protective and rustproof</p> <p>Flute Design around table-board, convenient for sewage disposal</p> <p>Guide rails surrounding the table board</p> <p>Lifting and Decending control: Electric System</p> <p>Voltage 220-230V</p> <p>Approx device parameter: table board length and width: 1400mm*600mm table height: 830mm~920mm</p> <p>with: Training Minimum 1 year warranty on parts and services</p>								
8	<p><b><i>Veterinary Operating Table</i></b></p> <p>Dropping to within atleast 10" of the floor</p> <p>One piece reinforced tabletop, 304 grade stainless steel</p> <p>V-shaped drain trough in the middle, no-spill fluid collection</p> <p>Scissor action is supported by noise free nylon bearing in specially milled channel</p> <p>Scissor action has with nylon washers</p> <p>Top section made of 3 grid panels, with tiny holes tha allows constant fluid runoff</p>	4							



	<p>With 4 casters</p> <p>with:</p> <p>Training</p> <p>Minimum 1 year warranty on parts and services</p>								
9	<p><b><i>Binocular Microscope w/ LCD</i></b></p> <p><i>Viewing Head:</i></p> <p>7" LCD (minimum)</p> <p><i>Nosepiece:</i></p> <p>Ball bearing quadruple nosepiece</p> <p><i>Eyepiece:</i></p> <p>Wide field plane-scope eyepiece WF10X18mm</p> <p><i>Objective:</i></p> <p>1. Achromatic 4X, 40X, 40X(S), 100X(S Oil)</p> <p>2. Plan achromatic 4X, 40X, 40X (S), 100X (S, Oil)</p> <p><i>Stage:</i></p> <p>Double layer mechanical stage</p> <p><i>Condenser:</i></p> <p>Abbe NA1.25 Condenser with Iris diaphragm &amp; filter, rack &amp; pinion adjustment.</p> <p><i>Illumination:</i></p> <p>Built-in illumination, halogen lamp, 6V/20W, power supply: 90-230V/3W LED</p>		3						

	<p>with:  Training  Minimum 1 year warranty on parts and services</p>								
10	<p><b>Trinocular Microscope</b>  Image sensor: 1/2.5" Color 5 megapixel CMOS  Effective pixel: 2048x1536  Pixel size 2.2x2.2um  LCD Screen size: 9.7" 1024x768 IPS LCD  Frame rate: 15 or higher  Definition: FULL HD  White Balance" Auto and Manual  Operating System: Android 4.2.2 or higher  Brightness Control: auto and manual  Color: RGB  Supports: Edge Enhancement, Film and Video,  measurement, digital denoiser  SD Card Interface: 32G SD 2.0, standard size,  non visual design, maximum 32G  Interface: Standard HDMI Output  Lens: C  Usb interface: USB2.0 or USB 3.0</p> <p>with:  Training  Minimum 1 year warranty on parts and services</p>		2						
11	<p><b>Autoclave</b>  Stainless steel  Light Indicators for working state  Over temperature &amp; over pressure auto-</p>		2						

	<p>protection</p> <p>Double Scale indication pressure gauge</p> <p>Safe protection water lacking</p> <p>Automatically shut of after sterilization</p> <p>2 stainless steel sterilizing baskets</p> <p>Chamber volume: Maximum 150L</p> <p>Working Pressure: 0.22MPa</p> <p>Working Temperature: 134°C</p> <p>Heat average: <math>\leq \pm 1^\circ\text{C}</math></p> <p>Timer scope: 0~60min</p> <p>Temperature Scope: 105 ~134°C</p> <p>Power: 2.5KW / AC220V.50Hz (min) 6KW / AC220V.50Hz (max)</p> <p>with: Training</p> <p>Minimum 1 year warranty on parts and services</p>								
12	<p><b>Biological Safety Cabinet</b></p> <p><i>Biological Safety:</i></p> <p>Personnel protection: impact type sampler: CFU<math>\leq</math>10</p> <p>narrow slot type sampler: CFU <math>\leq</math> 5</p> <p>Product protection: all sampling vessels: CFU<math>\leq</math> 5</p> <p>Cross contamination protection:</p>		1						

	<p>all double dishes: CFU≤2</p> <p><i>Working Area:</i>  1000*650*580 (min)  1600*650*580 (max)</p> <p>Overall dimension  1200*750*1950 (min)  1800*750*1950 (max)</p> <p>Specification of air-supply filter  955*545*50*1 (min)  1590*554*50*1 (max)</p> <p>Specification and number of flourecent lamp or  UV lamp  20W*2/20W*1 (min)  30W*2/30W*2 (max)</p> <p>illumination  ≥650LX</p> <p>with:  Training  Minimum 1 year warranty on parts and services</p>								
13	<p><b>Centrifuge (Hematocrit)</b>  Speed= 12,000rpm (maximum)  R.C.F= 14,648g  Timer= 0~15 min. mechanical timer</p>		1						

	<p>Motor= Universal motor  Capacity= 24 x capillary tube (Diam. 1.5x75mm)  Standard Accessory=Percentage  Reader(Aluminum)  Optional Accessory= Disc reader (plastic)  Weight (kg)= N.W 9.0 / G.W. 9.5  Overall Dimension= W300xD300xH240mm  Power supply= AC 110V 60Hz (220V, 50/60Hz available)</p> <p>with:  Training  Minimum 1 year warranty on parts and services</p>								
14	<p><b>Centrifuge(Eppendorf )</b>  Digital Display  Automatic lid release function  Separate short spin key for short centrifugation  Rotation speed: 800 - 13400rpm  Maximum centrifugal force: 12100G  Maximum throughput: 1.5 - 2.0 mL  with:  Training  Minimum 1 year warranty on parts and services</p>		1						
15	<p><b>Digital Veterinary 3Channel ECG Machine</b>  Lead: 7  Leads: I,II,III.aVR, aVL, aVF V  Tilted 5 Ince HD LCD Display  Sampling modes: Real Time, Pre-sampling, Periodic  sampling, Manual, Auto, Rhythim</p>		2						

	<p>Support Language: English  Storage Format of Report: ZQECG, PDF, PNG, XML  HL7, DICOM WAVEFORM, DICOM-IMAGE, DICOM-PDF, GDT  Alarm: Electrode Disconnection, Recorder unavailabe, Tachycardia and Bradycardia, low power  Peripheral: Keyboard, USB disk, SD Card, scanner, printer, card reader  Network support: cable and WiFi  Built in Protection against defibrillator  Heart Rate Detection Range: 30-350  Support Species: can, puppy, small dog, large dog etc.</p> <p>Frequency response: 0.01 ~ 310Hz  Time Constraint <math>\geq 3.2s</math>  CMRR: <math>\geq 115dB</math>  Input Circuit: <math>\leq 50\mu A</math>  Input Impedance: (10hz)  Noise level: <math>\leq 12.5\mu V_{p-p}</math>  Sensitivity valve: <math>20\mu V</math>  Patient Leakage Current: <math>\leq 10\mu A</math>  Callibration Voltage: <math>1mV \pm 2\%</math>  Polarization voltage: <math>\pm 910mV</math>  A/D shift: 24bits  Sampling rate 20000Hz  Sensitivity: 2.5 - 40 and Auto</p>								
--	--	--	--	--	--	--	--	--	--

	<p>Paper speed: 5 - 50 mm/s  Recording Mode: thermal array printer  8dot/mm (vertical)  40 dot/mm (horizontal)</p> <p>Paper Type: Z-fold paper or roll paper  Paper size: 80mm*70mm-14m or 80mm*20m</p> <p>with:  Training and installation  Minimum 1 year warranty on parts and services</p>								
16	<p><b>Chest Type Freezer</b>  25.0 cu.ft. Two Door Chest Freezer  Net Volume (L): 719  Freezer Volume: 719  Rated Power Input (W): 375  Power Consumption (kwh/24hr): 3.05  Freezing Capacity (kg/24hr): 49  Rated Voltage (V): 230  Rated Frequency (Hz): 60  Dual Temperature Thermostat  Energy Efficient  Multi-level Trapezoid Door Insulation  Eco-Friendly Refrigerant and Foaming Material  Curved Interior Corners  Adjustable Temperature Control  Deep Quick Freezing  Overlapped Jointing Interior Textured Aluminum Walls  Convenient Caster Wheels for Mobility</p>		2						

	<p>Counter Balance Lid  Micro Biological Technology  Super Cooling Retention up to 100 Hours after power failure</p> <p>with:  Training  Minimum 1 year warranty on parts and services</p>								
17	<p><b>Single dome LED operating lamp</b>  Max Central illuminance at 4500k (LUX): 160,000  Illuminance Measured Adjustable (LUX): 6,000 - 160,000  Color Temperature (K): 3500, 4000, 45000  CRI (RA): ≥ 95  Light field, d10 (mm): 160 ± 15  Light field, d50 (mm): 80 ± 15  Light field diameter: 200-280  Depth of illuminatio (L1 + L2) (cm): 130  Heat to light ratio (mW/m2-lx): 3.3  Temperature increase in head area (C) : ≤ 2  Light Sources (pcs): 72 High Performance LED  Life time light source (h): 50000  Max. Power Consumption of all light sources (W): 72  Power Supply : 24V AC/DC, 100V - 240 V AC</p> <p>with:  Training and installation  Minimum 1 year warranty on parts and services</p>	4							



18	<p><b>Necropsy Table</b>  304 stainless steel  Heliarc Welded seams and joints, ground and polish to amrch adjoining surfaces  Radii steel base frame with adjustable leveling feet  Mixing faucet with gooseneck spout and wrist table handles  Full length perforated grid supports rapid and positive drainage</p> <p>with:  Training and installation  Minimum 1 year warranty on parts and services</p>		2						
19	<p><b>Veterinary Platform Scale</b>  material: 304 stainless steel  Aproximate size: 1200*600*65mm  Loading capacity: up to 150kg</p> <p>with:  Training  Minimum 1 year warranty on parts and services</p>		1						
	GRAND TOTAL	(IN WORDS)							(IN FIGURES)

\_\_\_\_\_ [signature]  
Duly authorized to sign Bid for and on behalf of \_\_\_\_\_ [in the capacity of]

# [Bidder's Letterhead]

**Name of the Procuring Entity : BULACAN AGRICULTURAL STATE COLLEGE**

**Project: 2023-01G: Acquisition of Equipment for the 4-Storey Veterinary Medicine Building**

**Location of the Project : San Ildefonso, Bulacan**

## List of all Ongoing Government & Private Contracts including contracts awarded but not yet started

Business Name : \_\_\_\_\_  
 Business Address : \_\_\_\_\_

Name of Contract/Project Cost	a. Owner's Name b. Address c. Telephone Nos.	Nature of Work	Bidder's Role		a. Date Awarded b. Date Started c. Date of Completion	% of Accomplishment		Value of Outstanding Works / Undelivered Portion
			Description	%		Planned	Actual	
<u>Government</u>								
<u>Private</u>								
Note: This statement shall be supported with:						Total Cost		

- 1 Notice of Award (for government projects)**
- 2 Notice to Proceed (for government projects)**
- 3 Contract**

Submitted by : \_\_\_\_\_  
(Printed Name & Signature)

Designation : \_\_\_\_\_

Date : \_\_\_\_\_

## *[Bidder's Letterhead]*

**Name of the Procuring Entity : BULACAN AGRICULTURAL STATE COLLEGE**

**Project: 2023-01G: Acquisition of Equipment for the 4-Storey Veterinary Medicine Building**

**Location of the Project : San Ildefonso, Bulacan**

### **Statement of Single Largest Completed Contracts (SLCC) in the last five (5) years**

Business Name : \_\_\_\_\_ Business Address : \_\_\_\_\_

Name of Contract	a. Owner Name b. Address c. Telephone Nos.	Nature of Work	Contractor's Role		a. Amount at Award b. Amount at Completion c. Duration	a. Date Awarded b. Contract Effectivity c. Date Completed
			Description	%		
<u>Government</u>						
<u>Private</u>						

Attached herewith are the following documents: Contract Agreement, Notice of Award, Notice to Proceed, Official Receipt/Invoice, Certificate of Final Inspection, and Certificate of Acceptance, as evidences in support of the foregoing information.

Submitted by : \_\_\_\_\_

(Printed Name & Signature)

Designation : \_\_\_\_\_

## Contract Agreement Form

---

THIS AGREEMENT made the \_\_\_\_ day of \_\_\_\_\_ 20\_\_\_\_ between [*name of PROCURING ENTITY*] of the Philippines (hereinafter called “the Entity”) of the one part and [*name of Supplier*] of [*city and country of Supplier*] (hereinafter called “the Supplier”) of the other part:

WHEREAS the Entity invited Bids for certain goods and ancillary services, viz., [*brief description of goods and services*] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [*contract price in words and figures*] (hereinafter called “the Contract Price”).

### NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
2. The following documents shall be deemed to form and be read and construed as part of this Agreement, viz.:
  - (a) the Supplier’s Bid, including the Technical and Financial Proposals, and all other documents/statements submitted (*e.g.* bidder’s response to clarifications on the bid), including corrections to the bid resulting from the Procuring Entity’s bid evaluation;
  - (b) the Schedule of Requirements;
  - (c) the Technical Specifications;
  - (d) the General Conditions of Contract;
  - (e) the Special Conditions of Contract;
  - (f) the Performance Security; and
  - (g) the Entity’s Notice of Award.
3. In consideration of the payments to be made by the Entity to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Entity to provide the goods and services and to remedy defects therein in conformity in all respects with the provisions of the Contract
4. The Entity hereby covenants to pay the Supplier in consideration of the provision of the goods and services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the contract at the time and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

Signed, sealed, delivered by \_\_\_\_\_ the \_\_\_\_\_ (for the Entity)

Signed, sealed, delivered by \_\_\_\_\_ the \_\_\_\_\_ (for the Supplier)

### Omnibus Sworn Statement

---

REPUBLIC OF THE PHILIPPINES                    )  
 CITY/MUNICIPALITY OF \_\_\_\_\_            ) S.S.

#### A F F I D A V I T

I, *[Name of Affiant]*, of legal age, *[Civil Status]*, *[Nationality]*, and residing at *[Address of Affiant]*, after having been duly sworn in accordance with law, do hereby depose and state that:

1. **Select one, delete the other:**

*If a sole proprietorship:* I am the sole proprietor or authorized representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

*If a partnership, corporation, cooperative, or joint venture:* I am the duly authorized and designated representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

2. **Select one, delete the other:**

*If a sole proprietorship:* As the owner and sole proprietor, or authorized representative of *[Name of Bidder]*, I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for *[Name of the Project]* of the *[Name of the Procuring Entity]*, as shown in the attached duly notarized Special Power of Attorney;

*If a partnership, corporation, cooperative, or joint venture:* I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for *[Name of the Project]* of the *[Name of the Procuring Entity]*, as shown in the attached *[state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable);]*;

3. *[Name of Bidder]* is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board;

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. *[Name of Bidder]* is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. **Select one, delete the rest:**

*If a sole proprietorship:* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*If a partnership or cooperative:* None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*If a corporation or joint venture:* None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the following responsibilities as a Bidder:
  - a) Carefully examine all of the Bidding Documents;
  - b) Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
  - c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d) Inquire or secure Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

IN WITNESS WHEREOF, I have hereunto set my hand this \_\_\_ day of \_\_\_, 20\_\_ at \_\_\_\_\_, Philippines.

\_\_\_\_\_  
Bidder's Representative/Authorized Signatory

**SUBSCRIBED AND SWORN** to before me this \_\_\_ day of *[month]* *[year]* at *[place of execution]*, Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her *[insert type of government identification card used]*, with his/her photograph and signature appearing thereon, with no. \_\_\_\_\_ and his/her Community Tax Certificate No. \_\_\_\_\_ issued on \_\_\_ at \_\_\_\_\_.

Witness my hand and seal this \_\_\_ day of *[month]* *[year]*.

**NAME OF NOTARY PUBLIC**

Serial No. of Commission \_\_\_\_\_

Notary Public for \_\_\_\_\_ until \_\_\_\_\_

Roll of Attorneys No. \_\_\_\_\_

PTR No. \_\_\_\_\_ *[date issued]*, *[place issued]*

IBP No. \_\_\_\_\_ *[date issued]*, *[place issued]*

Doc. No. \_\_\_\_\_

Page No. \_\_\_\_\_

Book No. \_\_\_\_\_

Series of \_\_\_\_\_

\* This form will not apply for WB funded projec

**BID SECURING DECLARATION FORM**

---

**REPUBLIC OF THE PHILIPPINES)**  
**CITY OF \_\_\_\_\_) S.S.**

x-----x

**BID SECURING DECLARATION**  
**Invitation to Bid: [Insert Reference number]**

To: *[Insert name and address of the Procuring Entity]*

I/We<sup>4</sup>, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - (a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - (b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
  - (c) I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_ day of *[month]* *[year]* at *[place of execution]*.

*[Insert NAME OF BIDDER'S AUTHORIZED  
 REPRESENTATIVE]  
 [Insert Signatory's Legal Capacity]  
 Affiant*

---

**FINANCIAL DOCUMENTS FOR ELIGIBILITY  
CHECK**

		Year 20____
1	Total Assets	
2	Current Assets	
3	Total Liabilities	
4	Current Liabilities	
5	Net Worth (1-3)	
6	Net Working Capital (2-4)	

The Net Financial Contracting Capacity (NFCC) based on the above data is computed as follows:

NFCC = [(Current assets – current liabilities) (15)] minus value of all outstanding or uncompleted portions of the projects under ongoing contracts including awarded contracts yet to be started coinciding with the contract to be bid.

The values of the domestic bidder's current assets and current liabilities shall be based on the latest Audited Financial Statements submitted to the BIR.

**NFCC = PhP \_\_\_\_\_**

Submitted by:

---

**Name of Bidder**

---

**Signature of Authorized Representative over Printed Name**

Date: \_\_\_\_\_



